

# Rustler VXL (Model 37076-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are ar ed alphabetic

	Bearings & Bushings
4607	Ball bearings (5x11x4mm) (8)
2728	Ball bearings (5x8x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 0545	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545 3934	Bellcrank bushings (plastic) (5x8x2.5mm) (4) Body clips, heavy duty (12)
1675	Bushings, self-lubricating (5x11x4mm) (14)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
	Body & Accessories
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
<b>3614</b> 1815	Body mounts (front & rear) Body washers (8)
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
3714	Body, Rustler (clear, requires painting)/window, lights decal
	sheet/ wing and aluminum hardware
3715	Body, Rustler VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/window, lights decal sheet/ wing and aluminum hardware
3615	Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet
3617R	Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet
2514	Decal sheet, racing sponsors
3713R	Decal sheets, Rustler VXL
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink)
3677	Wheelie bar mount (1)/ hardware (black)
3677X 3678	Wheelie bar mount (1)/ hardware (blue) Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,
3678X	Bandit series) Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler,
3678A	Bandit series) Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit
3678P	series) Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit
	series)
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
5186	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ avles (2)/ rubber tires (2)
	axles (2)/ rubber tires (2)
2725	Chassis & Attachments
3725X	Battery expansion kit (allows for installation of taller multi-cell battery packs)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
2735	Bumper (front)
2735P	Bumper (front) (pink)
3722	Lower chassis (black)
3722A 3725	Lower chassis (grey) Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)
3723	Upper chassis (black)
3723A	Upper chassis (grey)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3677A	Wheelie bar mount (1) / hardware (green)
3677P	Wheelie bar mount (1) / hardware (pink) Wheelie bar mount (1)/ hardware (black)
3677 <b>3677X</b>	Wheelie bar mount (1)/ hardware (black) Wheelie bar mount (1)/ hardware (blue)
3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,
26704	Bandit series)
3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)

e arranged al	phabetically.
3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
4976	Wheels (4)/ Axles (2), for Maxx wheelie bar
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
5186	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
	axles (2)/ rubber tires (2)
	Differential Components
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
5169	Screws, 2.6x8mm countersunk machine (6)
1647	Silicone grease
	Driveline Components
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
6752	Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)
6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
3752 <b>3652A</b>	Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
303ZA	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
3652P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
6753	Stub axle, rear, steel-splined constant-velocity (1)
2753X	Stub axles, rear (2)
6853X	Stub axles, rear, heavy duty (2)/pins (2)
	Front Suspension & Steering
3637	Axles (front) (2)
<b>2728</b> 2545	Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2545 2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left
3632G	& right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)
3632P	& right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) suspension screw pin (2)
3632X	& right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5525R	Rod ends, heavy duty (Jato/Slayer) (8)
5347	Rod ends, Revo (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)

### Page 2 Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 37076-3) Parts List

Page 2	Rustler VXL: TQI Traxxas Link Enabled 2.4GHz Ra	dio
3636X	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	207 335
3631	Suspension arms (front) (2)	000
2640	Suspension pins, 44mm (2) w/ E-clips	
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	335
	complete suspension pin set) (Rustler, Stampede, Bandit)	
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	334
2532	Tie bar, fiberglass	
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	285
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	284
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	284
	(assembled w/ rod ends & hollow balls) (fits Rustler) (requires	285
	5mm aluminum wrench #5477)	297
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	293
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	654
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	00-
•••••	(assembled with rod ends & hollow balls) (requires 5mm	291
	aluminum wrench #5477)	292
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	292
0745	with rod ends and hollow balls) (1 left, 1 right)	294
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	294 295
		295
1000	Hardware	296
1926	Antenna caps, vinyl (2)/ antenna spool	296
1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body clips (12) (standard size)	297
3934	Body clips, heavy duty (12)	297
1589	Double-sided adhesive tape (25mm x 25mm) (2)	
1633	E-clips/ C-rings	297
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	297
2745	Nuts, 3mm nylon locking (12)	251
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	652
1747	Nuts, 4mm nylon locking (10)	651
1985 5525	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12)	297
5347	Rod ends, Revo (large) with hollow balls (12)	207
2742X	Rod ends, short (6)/ hollow balls (6)	655
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	653
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	653
2577	Screws, 3x10mm button-head machine (hex drive) (6)	655
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	
2578	Screws, 3x12mm button-head machine (hex drive) (6)	652
2552 2579	Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x15mm button-head machine (hex drive) (6)	652
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	652 652
2583	Screws, 3x18mm button-head machine (hex drive) (6)	207
2580	Screws, 3x20mm button-head machine (hex drive) (6)	207
2591	Screws, 3x23mm button-head machine (hex drive) (6)	655
2582	Screws, 3x30mm button-head machine (hex drive) (6)	655
2592	Screws, 3x40mm button-head machine (hex drive) (6)	653
2575 3932	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)	654
2576	Screws, 3x8mm button-head machine (hex drive) (6)	650
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	000
3937	Screws, 4x12mm button-head machine (hex drive) (6)	650
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	050
2743	Set (grub) screws, 3mm hardened (12)	652
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	652
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	
2754	Stub axle pins (4)	653
2746	Washers, 3x6mm metal (12)	
3685	White plastic washers (5x8x1.0mm) (6)	651
	Motors & Electronics	335
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	653
3342	Bullet connectors, male, 3.5mm (3) / heat shrink	
3340	Cooling fan, Velineon VXL-3s ESC	07/
3790	Gear adapter, fixed	370
2072	Gear set (for 2070, 2075 servos)	
3354R	Motor cover, endbell (Velineon 3500)	
3351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire and	
3725	gold-plated bullet connectors) Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)	363
3352R	Rebuild kit, Velineon 3500 (includes plastic endbell, 5x11x4mm ball	375 365
	bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)	
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	365
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	

0075	
2075	Servo, digital high-torque (ball bearing), waterproof
3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL-
000011	3s waterproof ESC, Velineon 3500 motor, and speed control
	mounting plate (part #3725))
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless)
000011	(fwd/rev/brake)
3343	Wire, 12-gauge, silicone (Maxx Cable) (650mm or 26 inches)
	Radio System, Batteries & Chargers
2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to
	separate balance ports)
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530
0044	transmitters)
2914 2022X	Battery, Power Cell AA Alkaline (4)
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2975 <b>2972</b>	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2972	Identification
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery
25/1	Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
2570	Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072	Gear set (for 2070, 2075 servos)
6554	Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
	pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone
	grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075	Servo, digital high-torque (ball bearing), waterproof
6550	Telemetry expander, TQi radio system
6551	Telemetry GPS module, TQi radio system
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
	recently ingger magnet noters, spar gear magnet, ox2mm (1)
0540	3x8mm CCS (3)/ 3x10mm CCS (3)
6540	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)
<b>6540</b> 6509R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link
6509R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas
6509R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6509R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro
6509R <b>6507R</b>	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6509R <b>6507R</b>	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6509R 6507R 6528	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6509R 6507R 6528	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output,
6509R 6507R 6528 6529 6530	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQI 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6509R 6507R 6528 6529 6530 6511	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQI 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module
6509R 6507R 6528 6529 6530	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless)
6509R 6507R 6528 6529 6530 6511 3355R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
6509R 6507R 6528 6529 6530 6511	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2)
6509R 6507R 6528 6529 6530 6511 3355R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2)
6509R 6507R 6528 6529 6530 6511 3355R	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
6509R 6507R 6528 6529 6530 6511 3355R 6537	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQI 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model
6509R 6507R 6528 6529 6530 6511 3355R 6537	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) <u>Ready-To-Race Model</u> Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link
6509R 6507R 6528 6529 6530 6511 3355R 6537	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (twd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)
6509R 6507R 6528 6529 6530 6511 3355R 6537 37076-3	3x8mm CCS (3)/ 3x10mm CCS (3)   Telemetry trigger magnet, 5X2mm (1)   TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)   TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)   Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)   Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)   Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)   Traxxas Link Wireless Module   Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)   Wire retainers, gear cover/ 3x4mm BCS (2)   Ready-To-Race Model   Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)
6509R 6507R 6528 6529 6530 6511 3355R 6537 37076-3	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM) Shock tower (rear)
6509R 6507R 6528 6529 6530 6530 6511 3355R 6537 37076-3	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings)
6509R 6507R 6528 6529 6530 6511 3355R 6537 37076-3	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
6509R 6507R 6528 6529 6530 6530 6511 3355R 6537 37076-3	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model Rustler VXL: 1/10 Scale Stadium Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings)
6509R 6507R 6528 6529 6530 6511 3355R 6537 37076-3 3638 3752 3652A	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1) TQI 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQI 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQI Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link Wireless Module Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) Wire retainers, gear cover/ 3x4mm BCS (2) Ready-To-Race Model Rustler VXL: 1/10 Scale Stadium Truck with TQI Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM) Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)

## Page 3 Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 37076-3) Parts List

Page 3	Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Rad	dio &
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1765
3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1666 3769
	aluminum (red-anodized)/ 5x11mm ball bearings (4)	3768
2753X	Stub axles, rear (2)	
3655X	Suspension arms, left & right	2458
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	2458
3741A	complete suspension pin set) (Rustler, Stampede, Bandit) Turnbuckles, aluminum (blue-anodized), camber links, front,	2458/
3/41A	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3757 3757
	wrench	3757/
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,	3757
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow	3757
2642	balls)/wrench	3757>
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	4957
	Shocks (Aluminum)	3760
1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring	3762
1505	retainers (2)	
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3760/
	(2)	
2742X	Rod ends, short (6)/ hollow balls (6)	3762/
2760	Shock caps, aluminum (2)	
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)	3793
1664 <b>2765</b>	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2)	5552)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o	
4700	springs (front) (2)	2554
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o	5556
	springs (rear) (2)	
1666	Silicone shock oil (30 wt)	3790
	Shocks (Pro-level Aluminum)	2416
2664	Big Bore shock cylinder (long) (1)	1918
2666	Big Bore shock cylinder (XX-long) (1)	2419
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	2423
	(assembled with TiN shafts and springs) (front & rear) (4)	2426
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6	<b>2431</b> 4725
	aluminum) (assembled with TiN shafts) w/o springs (front) (2)	4723
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6	4676
2669	aluminum) (assembled with TiN shafts) w/o springs (rear) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings	
2000	& washers (2) (Big Bore Shocks)	4683
2362	Rebuild kit, Ultra shocks (for 2 shocks)	
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	4686
07/01/	(2)	4690
2742X	Rod ends, short (6)/ hollow balls (6)	4000
2667	Shock caps, aluminum (2)/ (Big Bore Shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2)	
1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (ong) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)	0700
20301	(2)	2728
1664	Shock shafts, steel, chrome finish (long) (2)	2545 5347
2656	Shock shafts, steel, chrome finish (xx-long) (2)	3744
1765	Silicone diaphragms (4)	3743
1666	Silicone shock oil (30 wt)	3743/
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:	•••••
	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	3743
5860	Shocks) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum	07403
0000	Big Bore shocks)	3743)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum	6845)
	Big Bore shocks)	
	Shocks (Ultra Shocks)	2537
3642	Attachment screws, shock (3x12mm shoulder screws) (6)	3139/
3765A	Body, Ultra Shock(s) (long) (grey) (2)	
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)	3139)
2362	Rebuild kit, Ultra shocks (for 2 shocks)	01007
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	
2742X	(2) Red and a short (6)/ hollow halls (6)	3745
2742X 3767	Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)	_
8361	Shock caps (black) (4) (assembled with hollow balls)	
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	5525
3767A 3767G	Shock caps, aluminum (blue-anodized) (4) (fits all Oltra Shocks) Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	5525F
3767P	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	5347
3767X	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	3739
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	3744
1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)	3744 2640
		3744 2640 3640
2656T 1664	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2)	2640 3640
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)	2640

a i Sivi	
65	Silicone diaphragms (4)
66	Silicone shock oil (30 wt)
69	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
68	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
	(2))
58	Springs, front (black) (2)
58P	Springs, front (pink) (2)
58A	Springs, front (white) (2)
57 57	Springs, rear (black) (2)
57T	Springs, rear (blue) (2)
57A 57P	Springs, rear (green) (2) Springs, rear (pink) (2)
57R	Springs, rear (red) (2.9 rate) (2)
57X	Springs, rear (white) (2)
57	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
60	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
	& springs) (front) (2)
62	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
	spacers & springs) (rear) (2)
60A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
~~ ^	springs) (2)
62A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &
	springs) (rear) (2)
	Slipper Clutch Components
93	Input shaft (slipper shaft) / spring pin
52X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
	4.0mm NL (1)/ 5.0mm NL (1))
54	Screws, 3x6mm cap-head machine (hex drive) (6)
56	Slipper pressure plate & hub (aluminum alloy)
	Spur Gears & Pinion Gears
90	Gear adapter, fixed
16	Gear, 16-T pinion (48-pitch) / set screw
18	Gear, 18-T pinion (48-pitch) / set screw
19	Gear, 19-T pinion (48-pitch) / set screw
23	Gear, 23-T pinion (48-pitch) / set screw
26	Gear, 26-T pinion (48-pitch)/set screw
31	Gear, 31-T pinion (48-pitch) / set screw
25	Gear, pinion (25-tooth) (48-pitch) / set screw
28	Gear, pinion (28-tooth) (48-pitch)/ set screw
76	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control
83	slipper clutch)
03	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
86	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control
	slipper clutch)
90	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control
	slipper clutch)
	Steering Components
28	Ball bearings (5x8x2.5mm) (2)
45	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
47	Rod ends, Revo (large) with hollow balls (12)
44	Servo saver w/adapters
43	Steering bellcranks (I&r)/ draglink
43A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/
	5x8mm ball bearings (4)/ hardware (assembled)
43P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/
427	5x8mm ball bearings (4)/ hardware (assembled)
43X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
45X	Steering bellcranks/ servo saver/ servo saver spring/ servo
	spring retainer/servo horn, steering
37	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
39A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
	wrench #5477)
39X	
	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
	(assembled with rod ends & hollow balls) (requires 5mm
45	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
45	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled
45	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
45	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Suspension Linkage
25	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12)
25 <b>25R</b>	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12) Rod ends, heavy duty (Jato/Slayer) (8)
25 <b>25R</b> 47	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12) <b>Rod ends, heavy duty (Jato/Slayer) (8)</b> Rod ends, Revo (large) with hollow balls (12)
25 <b>25R</b> 47 39	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Suspension Linkage Rod ends (12)/ hollow balls (12) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, Revo (large) with hollow balls (12) Screw pin set (Rustler/ Bandit/ Stampede)
25 <b>25R</b> 47 39 44	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Suspension Linkage Rod ends (12)/ hollow balls (12) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, Revo (large) with hollow balls (12) Screw pin set (Rustler/ Bandit/ Stampede) Servo saver w/adapters
45 25 <b>25R</b> 47 39 44 40	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, Revo (large) with hollow balls (12) Screw pin set (Rustler/ Bandit/ Stampede) Servo saver w/adapters Suspension pins, 44mm (2) w/ E-clips
25 <b>25R</b> 47 39 44	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12) <b>Rod ends, heavy duty (Jato/Slayer) (8)</b> Rod ends, Revo (large) with hollow balls (12) Screw pin set (Rustler/ Bandit/ Stampede) Servo saver w/adapters Suspension pins, 44mm (2) w/ E-clips Suspension screw pin set, steel (hex drive) (requires part #2640 for a
25 <b>25R</b> 47 39 44 40 40	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12) <b>Rod ends, heavy duty (Jato/Slayer) (8)</b> Rod ends, Revo (large) with hollow balls (12) Screw pin set (Rustler/ Bandit/ Stampede) Servo saver w/adapters Suspension pins, 44mm (2) w/ E-clips Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
25 <b>25R</b> 47 39 44 40	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) <b>Suspension Linkage</b> Rod ends (12)/ hollow balls (12) <b>Rod ends, heavy duty (Jato/Slayer) (8)</b> Rod ends, Revo (large) with hollow balls (12) Screw pin set (Rustler/ Bandit/ Stampede) Servo saver w/adapters Suspension pins, 44mm (2) w/ E-clips Suspension screw pin set, steel (hex drive) (requires part #2640 for a

#### Page 4 Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 37076-3) Parts List

Page 4	Rustler VXL: TQi Traxxas Link Enabled 2.4GHz Radi
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
	Team Traxxas Items
2514	Decal sheet, racing sponsors
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)
	Tires & Wheels
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114 <b>5854</b>	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647 2754	Silicone grease
3770A	Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias tires, foam inserts) (rear) (2) (TSM rated)
3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM rated)
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias tires, foam inserts) (electric rear) (2)
3771A	Tires & wheels, assembled, glued (2.8")(All-Star black chrome
3771	wheels, Ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8")(All-Star chrome wheels, Bibbed tires (see insert) (electric front) (2)
3773A	Ribbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1
5576R	right) Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1
5569	right) Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
5578	Tires, Anaconda 2.8" (2)/ foam inserts (2)
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam
5563	inserts (2) Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)
5576A <b>3772</b>	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2) Wheels, All-Star 2.8" (chrome) (electric rear)
5576	Wheels, All-Star 2.8" (chrome) (electric rear) Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2)
3673	Wheels, chrome (2.2") (front) (2)

3672 Wheels, chrome (2.2") (rear) (2) Wheels, dyeable nylon 2.2 (front) (2) 3675 3674 Wheels, dyeable nylon 2.2 (rear) (2) 3774 Wheels, Twin-Spoke 2.8" (chrome) (electric rear) (2) Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2) 5572 Transmission Components 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 4607 Ball bearings (5x11x4mm) (8) 3792 Dust cover/rubber plug (w/ screws) (telemetry ready) 5478 Flat wrench, 8mm (blue-anodized aluminum) 3790 Gear adapter, fixed 3691 Gearbox halves (I&r) (black) w/ idler gear shaft 3691A Gearbox halves (I&r) (grey) w/ idler gear shaft Grease, white lithium 5148 3696 Idler gear, steel (30-tooth) Input shaft (slipper shaft) / spring pin 3793 Main diff with steel ring gear/ side cover plate/ screws (Bandit, 2381X Stampede, Rustler) 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 5552X 4.0mm NL (1)/ 5.0mm NL (1)) 2554 Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6) 3931 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)1647 Silicone grease 5556 Slipper pressure plate & hub (aluminum alloy) 3195 Top drive gear, steel (22-tooth) **Turnbuckles & Threaded Rods** Rod ends (12)/ hollow balls (12) 5525 5525R Rod ends, heavy duty (Jato/Slayer) (8) 5347 Rod ends, Revo (large) with hollow balls (12) 2537 Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set) 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set) 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm 3738 (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled 3643 with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled 3745 with rod ends and hollow balls) If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)

> For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.com

3673 Wheels, chrome (2.2") (front) (2)