



# Nitro Sport (Model 45104-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Air Filters

- 4060 Air filter (complete with rubber base & foam insert)
- 4061 Air filter (foam insert only)

## Bearings & Bushings

- 4607 Ball bearings (5x11x4mm) (8)**
- 4609 Ball bearings (5x10x4mm) (2)**
- 4611 Ball bearings (5x11x4mm) (2)**
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 5115 Ball bearings, blue rubber sealed (5x10x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3170X Battery holder, 4-cell/ on-off switch
- 1834 Body clips (12) (standard size)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 4511 Body, Nitro Sport (Clear, requires painting)**
- 4514 Body, Nitro Sport 2008, ProGraphix (Replacement for the painted body. Graphics are painted, requires paint & final color application)/window, lights, grill decal sheet/ wing & aluminum hardware
- 4512 Body, Nitro Sport, ProGraphix (replacement for the painted body) Graphics are painted, requires paint & final color application.**
- 4513X Decal sheet, Nitro sport**
- 2514 Decal sheet, racing sponsors**
- 4513R Decal sheets, Nitro Sport
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)**

## Brake Components

- 4184 Brake brackets (inner & outer)
- 4185 Brake disc/ shaft-to-disc adapter
- 4483 Brake lever

## Chassis & Attachments

- 3170X Battery holder, 4-cell/ on-off switch
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 4132 Bumper (rear)/ battery box/ body clips (2), EZ-Start mount, 3x10CST (2)
- 4532 Chassis deck, upper composite
- 4530 Chassis plate, T6 aluminum
- 4531 Chassis, lower main
- 4533 Cover, receiver
- 4460 Engine mount, 2 piece, aluminum (w/ screws) (N. Rustler/Sport)
- 4434 Gearbox brace/ clutch guard

## Clutch & Related Parts

- 4144 Adapter nut, clutch (not for use with IPS crankshafts)
- 4609 Ball bearings (5x10x4mm) (2)**
- 4611 Ball bearings (5x11x4mm) (2)**
- 2728 Ball bearings (5x8x2.5mm) (2)**
- 4116 Clutch bell, (16-tooth)/5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #2728 - ball bearings, 5x8x2.5mm (2))**
- 4118 Clutch bell, (18-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4609 - ball bearings, 5x10x4mm (2))**
- 4120 Clutch bell, (20-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))
- 4122 Clutch bell, (22-tooth)/ 5x8x0.5mm fiber washer (2)/ 5mm E-clip (requires #4611-ball bearings, 5x11x4mm (2))**
- 4146 Clutch shoes (2)/ spring (N. Rustler/N.Sport/N.Stampede)
- 3281 Cone, split beveled
- 1633 E-clips/ C-rings
- 6542X Flywheel (large, knurled for use with starter boxes)**
- 4142 Flywheel
- 6542 Flywheel with magnet (35mm)**

## Differential Components

- 4181 Differential gear (45-tooth)/ side cover plate & screws
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 1647 Silicone grease

## Driveline Components

- 1952X Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)**
- 1952 Carriers, stub axle (rear) (2)
- 1952A Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)**
- 4628 Differential output yokes (2)/ 3x5mm countersunk screws (2)/ 3mm set (set) screws (4)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6852R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6750 Half shaft, external splined (steel-spline constant-velocity) (1)**
- 6751 Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4))
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 2754 Stub axle pins (4)
- 6753 Stub axle, rear, steel-splined constant-velocity (1)**
- 2753X Stub axles, rear (2)

## Engine Components

- 3232X Glow plug, super-duty (long-medium)/gasket
- 4011 One-way starter bearing
- 4070 Pull starter, recoil**
- 4400 TRX Pro.15 to TRX 2.5/2.5R upgrade kit for Nitro Rustler, Nitro Sport (incl. SE), and Nitro Stampede**

## Exhaust

- 4485 Aluminum tuned pipe & header (complete w/mounting hardware) (strong power across mid and upper RPM range) (blue-anodized)**
- 3155 Cable ties, medium (black) (6)
- 4941 Coupler, exhaust (silicone)**
- 3156 Exhaust header gasket (1)/ gaskets, pressure fitting (2) (for side exhaust engines only)
- 4550 Exhaust header w/ gasket & screws
- 4487 Exhaust header, Perfect-Fit for N. 4-Tec, N. Rustler/Sport (blue-anodized, aluminum)/header gasket (for side exhaust engines only)**
- 4553 Exhaust pipe hanger, metal (N. Sport) (side exhaust engines only)
- 4451 Exhaust pipe, rubber (N. Rustler/Sport/4-Tec) (side exhaust engines only)
- 2556 Header screws, 3x23mm cap hex screws (6)
- 4452 Tuned pipe, assembled

## EZ Start & Related Parts

- 4577 Attachment bracket, plug/ foam tape/tie wrap/ 3x10mm wst screw (old style, replace with 4132)
- 4580 Box, control (For Nitro Sport SE and earlier models)
- 4579 Connector, wiring harness (EZ-Start and EZ-Start 2)
- 5280 Control box (complete) (EZ-Start 2)
- 5281 Control box battery cover w/ belt clip (EZ-Start 2)
- 4570 EZ-Start System, complete
- 4576 Gear set/ gear shafts
- 4575 Gearbox (EZ-Start) (w/ screws)
- 4581 Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)
- 4581X Lead wire, glow plug (blue) (EZ-Start and EZ-Start 2)/ molex pin extractor (use where glow plug wire does not have bullet connector)**
- 4578 Motor (EZ-Start)
- 4011 One-way starter bearing
- 4070 Pull starter, recoil**
- 2562 Screws, 2.6x8mm roundhead machine (6)

## Front Suspension & Steering

- 2530 Bulkhead (front) (black)
- 2634R Caster blocks, (25-degree) (I&R)**
- 2632R Caster blocks, (30-degree) (I&R)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 1844 Servo saver
- 2070 Servo, digital high-torque (ball bearing)**
- 2075 Servo, digital high-torque (ball bearing), waterproof**
- 2055 Servo, high-torque
- 2056 Servo, high-torque, waterproof (blue case)**
- 4439 Shock tower (front)

2536	<b>Steering blocks &amp; wheel spindles (l&amp;r)</b>
2640	Suspension pins, 44mm (2) w/ E-clips
2532	Tie bar, fiberglass

Fuel Tank & Line	
3147	Fuel line (1 foot)
4448	Fuel tank (75cc)/ rubber vibration cushions (2)
4449	Fuel tank rebuild kit (contains cap, foam seal, screw, spring, and screw pin. Replaces old style with primer bulb.)
3149A	Heat shield tubing, fiberglass (2) (black)

Fuel, Lubricants & Supplies	
5001	<b>Bottle, fuel filler (500cc)</b>
3232X	Glow plug, super-duty (long-medium)/gasket
5001R	<b>Rebuild kit, fuel filler bottle (includes bottle lid (1) and dispensing tube caps, rubber (2) (fits 8mm or 5/16" dispensing tube))</b>
5060	<b>Top Fuel, 10% nitro (gallon)</b>
5010	<b>Top Fuel, 10% nitro (quart)</b>
5070	<b>Top Fuel, 20% nitro (gallon)</b>
5020	<b>Top Fuel, 20% nitro (quart)</b>
5080	<b>Top Fuel, 33% nitro (gallon)</b>
5030	<b>Top Fuel, 33% nitro (quart)</b>

Hardware	
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
1834	Body clips (12) (standard size)
1633	E-clips/ C-rings
5477	<b>Flat wrench, 5mm (blue-anodized aluminum)</b>
3980	<b>Glow plug wrench (universal wrench)</b>
2556	Header screws, 3x23mm cap hex screws (6)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475	<b>Multi-tool (plastic)</b>
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
4147	Nuts, 5mm nylon locking (8)
1747R	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
1747G	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
1747P	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942	<b>Rod ends (16 long &amp; 4 short)/ hollow ball connectors (18)/ ball screws (2)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
2562	Screws, 2.6x8mm roundhead machine (6)
2754	Stub axle pins (4)

Manuals	
4599	Owner's Manual, Nitro Sport

Radio System, Batteries & Chargers	
3062X	<b>Adapter, Traxxas iD Connector Female to Molex Male (Note: Molex connector not suitable for high current use)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
3039	<b>Battery holder, 4-cell (no on/off switch) (for Jato and others that use a male Futaba style connector)</b>
2914	<b>Battery, Power Cell AA Alkaline (4)</b>
3037	<b>Battery, RX Power Pack (5-cell hump style, NiMH, 1200mAh)</b>
2919	Battery, Series 1 Power Cell 1800mAh (NiMH, 6-C flat, 7.2V, Sub-C)
2977	Charger, DC, 2 amp (Molex) (5 - 6 cell, 6.0 - 7.2 volt, NiMH)
2972	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
2971	<b>Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
2970	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>
2978	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>
6536	<b>Mounts, RPM sensor (nitro engines)/ 3x10mm CS with split and flat washers (2)</b>
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6521	<b>Sensor, temperature and voltage (long)</b>
2052	Servo case (for 2055 servo)
2053	Servo gears (for 2055, 2056 servos)
2070	<b>Servo, digital high-torque (ball bearing)</b>
2075	<b>Servo, digital high-torque (ball bearing), waterproof</b>
2055	Servo, high-torque
2056	<b>Servo, high-torque, waterproof (blue case)</b>
6509R	<b>TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)</b>
6507R	<b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</b>

6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)</b>
6529	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
6530	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)</b>
6511	<b>Traxxas Link Wireless Module</b>
3034	<b>Wiring harness for RX Power Pack, Traxxas nitro vehicles (includes on/off switch and charge jack)</b>

Ready-To-Race Model	
45104-1	Nitro Sport: 1/10-Scale Nitro-Powered 2WD Stadium Truck with TQ 2.4GHz radio system

Rear Suspension	
4192	Bulkhead (rear)
1952X	<b>Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)</b>
1952	Carriers, stub axle (rear) (2)
1952A	<b>Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)</b>
2798X	<b>Mounts, suspension arm (blue-anodized 6061-T6 aluminum)(rear)(+/- 1-degree)(L&amp;R)</b>
2798	Mounts, suspension arm (rear) (+/- 1-degree) (l&r)
2797	<b>Mounts, suspension arm (rear) (0-degree) (l&amp;r)</b>
4138X	Shock tower, rear
2753X	Stub axles, rear (2)
2555	Suspension arms, (rear) (2)
1934	Wedges, anti-squat (1.5 & 3.0 degree) (2 each)

Shocks (Aluminum)	
1965	<b>Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)</b>
1942	<b>Rod ends (16 long &amp; 4 short)/ hollow ball connectors (18)/ ball screws (2)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
2760	<b>Shock caps, aluminum (2)</b>
1664T	<b>Shock shafts, hardened steel, titanium nitride coated (long) (2)</b>
2765T	<b>Shock shafts, hardened steel, titanium nitride coated (X-long) (2)</b>
1664	Shock shafts, steel, chrome finish (long) (2)
2765	<b>Shock shafts, steel, chrome finish (X-long) (2)</b>
4760	<b>Shocks, long (hard-anodized &amp; PTFE-coated T6 aluminum) w/o springs (front) (2)</b>
4761	<b>Shocks, X-long (hard-anodized &amp; PTFE-coated T6 aluminum) w/o springs (rear) (2)</b>
1666	Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)	
2664	<b>Big Bore shock cylinder (long) (1)</b>
2666	<b>Big Bore shock cylinder (XX-long) (1)</b>
2660	<b>Big Bore shocks (long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)</b>
2662	<b>Big Bore shocks (XX-long) (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)</b>
2362	<b>Rebuild kit, Ultra shocks (for 2 shocks)</b>
1942	<b>Rod ends (16 long &amp; 4 short)/ hollow ball connectors (18)/ ball screws (2)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
2667	<b>Shock caps, aluminum (Big Bore Shocks) (2)</b>
1664T	<b>Shock shafts, hardened steel, titanium nitride coated (long) (2)</b>
2656T	<b>Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)</b>
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	<b>Spring retainers, upper &amp; lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)</b>

Shocks (Ultra Shocks)	
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
5862	<b>Big Bore shocks (hard-anodized &amp; PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front &amp; rear) (4)</b>
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	<b>Rebuild kit, Ultra shocks (for 2 shocks)</b>
1942	<b>Rod ends (16 long &amp; 4 short)/ hollow ball connectors (18)/ ball screws (2)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
2667	<b>Shock caps, aluminum (Big Bore Shocks) (2)</b>
3767A	<b>Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)</b>
3767G	<b>Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)</b>

- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458 Springs, front (black) (2)**
- 2458P Springs, front (pink) (2)**
- 2458A Springs, front (white) (2)
- 4457 Springs, rear (black) (2)**
- 4457A Springs, rear (white) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

- 4685 Friction pegs, slipper (12)
- 4625 Pressure plate, slipper (1)
- 4622 Pressure rings, slipper (notched) (2)
- 1994 Slipper tension spring/ spur gear bushing & locknut
- 4493 Top drive gear (16-tooth)/ slipper shaft

### Spur Gears & Pinion Gears

- 4593 Adapter, spur gear (for models originally equipped without slipper clutch)
- 4615 Slipper clutch set (complete)
- 4470 Spur gear (70-Tooth) (32-Pitch) w/bushing
- 4472 Spur gear (72-Tooth) (32-pitch) w/bushing**

### Steering Components

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 1844 Servo saver
- 2055 Servo, high-torque
- 2336 Turnbuckles, 78mm (2)**

### Suspension Linkage

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 1633 E-clips/ C-rings
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 1739 Screw pin set
- 1844 Servo saver
- 1939 Suspension pin set, hard chrome (w/ E-clips)**
- 2739 Suspension pin set, stainless steel (w/ E-clips)**
- 2636 Suspension pins, 26mm (kingpins) (2)/ E-clips (4)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 2639 Suspension pins, 48mm (2) w/ E-clips
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2334 Turnbuckles, 50mm (2)
- 2336 Turnbuckles, 78mm (2)

### Team Traxxas Items

- 2514 Decal sheet, racing sponsors**
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)**
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)**
- 9909 Traxxas racing banner, red & black (3x7 feet)**

### Throttle & Brake Linkage

- 4483 Throttle & brake rods/ brake lever
- 3182 Collars, screw (2)/ set screws, 3mm (2)
- 3180 Rod guides (2)/ 3mm nylon locknuts (2)
- 4182 Servo horn, throttle-brake/ shift (1)
- 3184 Springs: throttle/brake/shift (3)

### Tires & Wheels

- 4607 Ball bearings (5x11x4mm) (8)
- 4611 Ball bearings (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1974 Lite-wheels, dished (2) (front) (for 2.2" tires)**
- 1972 Lite-wheels, dished (2) (rear) (for 2.2" tires)**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)**
- 1747 Nuts, 4mm nylon locking (10)
- 4147X Nuts, 5mm flanged nylon locking (aluminum, blue-anodized) (4)**
- 4147 Nuts, 5mm nylon locking (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)**
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)**
- 4171 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (Nitro Stampede front) (2)**
- 5574R Tires & wheels, assembled, glued (2.8") (Twin-Spoke wheels, Alias ribbed tires, foam inserts) (nitro front) (2)
- 5572R Tires & wheels, assembled, glued (2.8") (Twin-Spoke wheels, Alias tires, foam inserts) (nitro rear) (2)
- 3777A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda tires, foam inserts) (nitro front) (1 left, 1 right)**
- 3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)**
- 5577R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda tires, foam inserts) (nitro front) (1 left, 1 right)**
- 5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)**
- 5575 Tires & wheels, assembled, glued (Twin-Spoke wheels, Victory tires, foam inserts) (nitro front) (2)**
- 5573 Tires & wheels, assembled, glued (Twin-Spoke wheels, Victory tires, foam inserts) (nitro rear) (2)**
- 5569 Tires, Alias 2.8" (2)/ foam inserts (2)
- 5578 Tires, Anaconda 2.8" (2) foam inserts (2)**
- 1970 Tires, low-profile spiked 2.2" (2)**
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)**
- 4790R Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)**
- 5563 Tires, ribbed 2.8" (2)/ foam inserts (2)
- 1870 Tires, Sledgehammer terra-spiked (2)**
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)**
- 4174 TRX Pro-Star chrome wheels (2) (front) (for 2.2" tires)**
- 4172 TRX Pro-Star chrome wheels (2) (rear) (for 2.2" tires)**
- 1654 Wheel hubs, hex (2)/ stub axle pins (2)
- 5577A Wheels, All-Star 2.8" (black chrome) (nitro front) (2)**
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)**
- 5577 Wheels, All-Star 2.8" (chrome) (nitro front) (2)**
- 5576 Wheels, All-Star 2.8" (chrome) (nitro rear/ electric front) (2)**
- 5574 Wheels, Twin-Spoke 2.8" (chrome) (nitro front) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

### Transmission Components

- 4607 Ball bearings (5x11x4mm) (8)
- 4420 Ball differential, Pro-style (with bearings)**
- 4184 Brake brackets (inner & outer)
- 4185 Brake disc/ shaft-to-disc adapter
- 4483 Throttle & brake rods/ brake lever
- 4192 Bulkhead (rear)
- 4181 Differential gear (45-tooth)/ side cover plate & screws
- 4434 Gearbox brace/ clutch guard
- 4491 Gearbox halves (l&r)
- 4196 Idler gear (20-tooth)/ idler gear shaft
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 1647 Silicone grease
- 4615 Slipper clutch set (complete)**
- 4493 Top drive gear (16-tooth)/ slipper shaft

## Turnbuckles & Threaded Rods

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2334	Turnbuckles, 50mm (2)
2336	Turnbuckles, 78mm (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**