

Slash VXL (Model 58076-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically. Prices are shown in US Dollars.

	Bearings & Bushings	3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,
4607 2728	Ball bearings (5x11x4mm) (8)	3678X	Bandit series) Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler,
5116	Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678A	Bandit series) Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3010A	series)
2545 1985	Bellcrank bushings (plastic) (5x8x2.5mm) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
1903	Body & Accessories	4976	Wheels (4)/ axles (2), for Maxx wheelie bar
1026	_	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		axles (2)/ rubber tires (2)
3935	Body clip (mounting clip), angled, 90-degrees (10)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
3934	Body clips, heavy duty (12)		Differential Components
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	22041/	=
1815	25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Body washers (8)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
6716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
5815	Body, Ford Raptor® (clear, requires painting)		shaft (1) all hardened steel
5815A	Body, Ford Raptor®, blue (painted, decals applied)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
5815R	Body, Ford Raptor®, red (painted, decals applied)	5169	Stampede, Rustler) Screws, 2.6x8mm countersunk machine (6)
5815X 6811	Body, Ford Raptor®, white (painted, decals applied) Body, Slash 4X4 (clear, requires painting)/ window masks/ decal	1647	Silicone grease
0011	sheet		Driveline Components
6817	Body, Slash 4X4, Amsoil (painted, decals applied)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6831	Body, Slash 4X4, Chad Hord (painted, decals applied)	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6818	Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals	6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully
6820	applied) Body, Slash 4X4, Jeff Kincaid (painted, decals applied)		assembled, ready to install)/ screw pin (1)
6825X	Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
6826R	Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals	6750	assembly) (2) Half shaft, external splined (steel-spline constant-velocity) (1)
	applied)	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6811X	Body, Slash 4X4, ProGraphix (Graphics are printed, requires paint & final color application)/ decal sheet	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/
6889	Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)	6757	metal u-joints (4) Rebuild kit, steel-splined constant-velocity driveshafts (includes
6849	Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)	.==.	pins, dustboots, lube, and hardware)
2514	Decal sheet, racing sponsors	3752 3652A	Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
5813	Decal Sheet, Slash	3032A	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)	3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
		30320	
	Chassis & Attachments		aluminum (green-anodized)/ 5x11mm ball bearings (4)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools	3652P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
5526 5526R 1914R	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),		aluminum (green-anodized)/ 5x11mm ball bearings (4)
5526R 1914R	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware	3652P 3652X 2754	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4)
5526R	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2),	3652P 3652X	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity
5526R 1914R 5624 5835	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black)	3652P 3652X 2754 6754	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
5526R 1914R 5624 5835 5835P	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink)	3652P 3652X 2754	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft)
5526R 1914R 5624 5835 5835P 5836	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black)	3652P 3652X 2754 6754	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
5526R 1914R 5624 5835 5835P 5836 5836P	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink)	3652P 3652X 2754 6754 6753	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2)
5526R 1914R 5624 5835 5835P 5836	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black)	3652P 3652X 2754 6754 6753 6853X	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash)	3652P 3652X 2754 6754 6753	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Ststate (1) Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Silsignsion & Signsion Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822 5822A	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front SISIPISION & SIGOTING Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front \$IISIONS (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822 5822A	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front SISIPISION & SIGOTING Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822 5822A 5827 5827X	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Silsignision & Signision Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5822 5822A 5827 5827X	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (black)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front SISIGNS DIL & SIGNS DIL Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832A 5822 5822A 5827 5827X	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front \$\text{SIISIONS ON & SIGNT ON } Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5822 5822A 5827 5827X	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (black)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G 3632P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Stiston & Steering Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832A 5822 5822A 5827 5827X	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Lower chassis, low CG (blue) Lower chassis, low CG (blue)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front \$\text{SIISIONS ON & SIGNT ON } Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822 5822A 5827 5827X 5831A 5831A 5831G 5823 5823 5823 5833	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Lower chassis, low CG (grey) Nerf bars, chassis (black) Nerf bars, low CG (black) Nerf bars, low CG (black) Nerf bars, low CG (blue)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G 3632P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Sisjersion & Steering Axles (front) (2) Ball bearings, 5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks (l&r) (30-degree) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822 5822A 5827 5827X 5831 5831A 5831G 5823 5833 5833 5833 5833G	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, low CG (grey) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (black) Lower chassis, low CG (black) Lower chassis, low CG (black) Nerf bars, chassis (black) Nerf bars, low CG (blue)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G 3632P 3632X 6846	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front Stistonia (2) Ball bearings (5x8x2.5mm) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, preen-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5822 5822A 5827 5827X 5831A 5831A 5831G 5823 5833 5833 5833 5833 5833 5825	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Lower chassis, low CG (blue) Lower chassis, low CG (grey) Nerf bars, chassis (black) Nerf bars, low CG (black) Nerf bars, low CG (blue) Nerf bars, low CG (includes o-ring, seals, and silicone grease)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G 3632P 3632X 6846 5347	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front \$IISIPSION & STEETING Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832A 5827 5827X 5827X 5831A 5831G 5823 5833 5833 5833 5833 5825 5827	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (black) Lower chassis, low CG (black) Nerf bars, low CG (black) Nerf bars, low CG (blue) Nerf bars, low CG (blue) Nerf bars, low CG (blue) Nerf bars, low CG (grey) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632A 3632B 3632P 3632P 3632Y 6846	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Stististististististististististististist
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5822 5822A 5827 5827X 5831A 5831A 5831G 5823 5833 5833 5833 5833 5833 5825	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Lower chassis, low CG (blue) Lower chassis, low CG (grey) Nerf bars, chassis (black) Nerf bars, low CG (black) Nerf bars, low CG (blue) Nerf bars, low CG (includes o-ring, seals, and silicone grease)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632G 3632P 3632X 6846 5347	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front \$IISIPSION & STEETING Axles (front) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5526R 1914R 5624 5835 5835P 5836 5836P 5832 5832A 5832G 5822 5822A 5827 5827X 5831A 5831G 5823 5833 5833 5833 5833 5833 5833 5825 5827 5827	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, rear/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (blue) Chassis, low CG (blue) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Nerf bars, low CG (blue) Nerf bars, low CG (blue) Nerf bars, low CG (blue) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black) Tires, rubber (2) (fits Traxxas wheelie bar wheels)	3652P 3652X 2754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632C 3632P 3632X 6846 5347 3646 3744 3639 3743	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front Stister of the state of the st
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832A 5827 5827X 5827X 5831A 5831A 5831A 5833 5833 5833 5833 5833 5833 5825 5827 5827 5827 5827 5827 5827 5827	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Lower chassis, low CG (blue) Lower chassis, low CG (grey) Nerf bars, chassis (black) Nerf bars, low CG (blue) Nerf bars, low CG (blue) Nerf bars, low CG (compu) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black) Tires, rubber (2) (fits Traxxas wheelie bar wheels) Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)	3652P 3652X 2754 6754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632B 3632P 3632X 6846 5347 3646 3744 3639	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, heavy duty (2)/pins (2) Front Stisteriol (2) Ball bearings (5x8x2.5mm) (2) Ball bearings (5x8x2.5mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead (front) (black) Bulkhead (front) (grey) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) Rod ends, Revo (large) with hollow balls (12) Screws, 3x15mm flat-head machine (hex drive) (6) Servo saver w/adapters Shock tower (front) Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized T6 aluminum)/
5526R 1914R 5624 5835 5835P 5836 5836P 5830 5832 5832A 5832G 5822 5822A 5827 5827X 5831A 5831G 5823 5833 5833A 5833G 5625 5837 5185 4974 3677A	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) Bumper, front/ bumper mount, front (black) Bumper, front/ bumper mount, front (pink) Bumper, rear/ bumper mount, rear (black) Bumper, rear/ bumper mount, rear (pink) Chassis conversion kit, low CG (Slash) Chassis, low CG (black) Chassis, low CG (blue) Chassis, Slash (black) Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multicell batteries) Lower chassis, low CG (blue) Lower chassis, low CG (grey) Nerf bars, chassis (black) Nerf bars, low CG (blue) Nerf bars, low CG (grey) Seal kit, receiver box (includes o-ring, seals, and silicone grease) Skidplates, front & rear (black) Tires, rubber (2) (fits Traxxas wheelie bar wheels) Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (green)	3652P 3652X 2754 6753 6853X 3637 2728 5116 2545 2530 2530A 3632 3632A 3632C 3632P 3632X 6846 5347 3646 3744 3639 3743	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4) Stub axle pins (4) Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1) Stub axles, rear, heavy duty (2)/pins (2) Front Stister of the state of the st

Page 2 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-3) Parts List

Page 2	Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radi	o & TSM	(Model 58076-3) Parts List
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/	3354R	Motor cover, endbell (Velineon 3500)
	5x8mm ball bearings (4)/ hardware (assembled)	3351R	Motor, Velineon 3500, brushless (assembled with 12-gauge wire and
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/		gold-plated bullet connectors)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
COVEN	servo saver w/adapters)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	2075	Servo, digital high-torque (ball bearing), waterproof
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing)
3636A	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball
	(blue-anodized)/ 5x11mm ball bearings (4)	2233	bearing), waterproof
3636G	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum	3350R	Velineon VXL-3s Brushless Power System, waterproof (includes VXL
	(green-anodized)/ 5x11mm ball bearings (4)		3s waterproof ESC, Velineon 3500 motor, and speed control
3636P	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum		mounting plate (part #3725))
	(pink-anodized)/ 5x11mm ball bearings (4)	3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless)
3636X	Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum		(fwd/rev/brake)
3631	(red-anodized)/ 5x11mm ball bearings (4)		Radio System, Batteries & Chargers
2640	Suspension arms (front) (2) Suspension pins, 44mm (2) w/ E-clips	2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
0010	complete suspension pin set) (Rustler, Stampede, Bandit)	2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2532	Tie bar, fiberglass	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
1935	Turnbuckles, 36mm (2)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)	2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
	wrench #5477)	2878X	8400mAh 11.1v 3-Cell 25C LiPo Battery
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)	2976	AC to DC converter, 40W
	(assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	5526	separate balance ports) Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
JU 17	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	5526R	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
	Slash)	2943	Battery charge indicators (green (4), blue (4), grey (4))
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530
	with rod ends and hollow balls)	00.0	transmitters)
	Hardware	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
1926	Antenna caps, vinyl (2)/ antenna spool	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
3935	Body clip (mounting clip), angled, 90-degrees (10)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
3934	Body clips, heavy duty (12)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
1589	Double-sided adhesive tape (25mm x 25mm) (2)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
1633	E-clips/ C-rings	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2745	Nuts, 3mm nylon locking (12)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMi
1747	Nuts, 4mm nylon locking (10)	2992	battery (1)) Battery/charger completer pack (includes #2970 iD charger (1),
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	2992	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
5525	Rod ends (12)/ hollow balls (12)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
5347	Rod ends, Revo (large) with hollow balls (12)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2742X	Rod ends, short (6)/ hollow balls (6)		Identification
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
3965	Screws, 2.5x8mm cap-head machine (6)		Battery Identification
25//	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)	2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery
4859	Screws, 3x10mm flat-head machine (hex drive) (4)	0070	Identification
2578	Screws, 3x12mm button-head machine (hex drive) (4)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	6525	Identification Communication link, telemetry expander
2579	Screws, 3x15mm button-head machine (by (fiex drive))	6512	Cover plate, Traxxas Link Wireless Module
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2583	Screws, 3x18mm button-head machine (hex drive) (6)	2072	Gear set (for 2070, 2075 servos)
2580	Screws, 3x20mm button-head machine (hex drive) (6)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for
2591	Screws, 3x23mm button-head machine (hex drive) (6)		Traxxas iD batteries)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
2592	Screws, 3x40mm button-head machine (hex drive) (6)		Traxxas iD batteries)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	6554	Mount, telemetry expander (fits Rustler, Bandit, Slash 2WD)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
2576	Screws, 3x8mm button-head machine (hex drive) (6)		pad
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
3937	Screws, 4x12mm button-head machine (hex drive) (6)	6552	Seal kit, expander box (includes o-ring, seals, and silicone
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	0500	grease)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	6526 6527	Sensor, auto-detectable, temperature
2743	Set (grub) screws, 3mm hardened (12)	6527 6520	Sensor, auto-detectable, voltage
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	6520 6521	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
2067	captured (4) Shoulder persons 3x10 (6) (without threadlask)	6521 2074	Sensor, temperature and voltage (long) Servo case/gaskets (for 2056 and 2075 waterproof servos)
3967	Shoulder screws 3x10 (6) (without threadlock) Shoulder screws July Shocks (3x12 hav drive) (6)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof
3642X 2754	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2075 2250	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing)
2754 2746	Stub axle pins (4) Washers, 3x6mm metal (12)	2230	waterproof
£170		2255	Servo, digital high-torque 400 brushless, metal gear (ball
	Motors & Electronics		bearing), waterproof
		0550	Telemetry expander, TQi radio system
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6550	relementy expander, rogitatio system
3340	Cooling fan, Velineon VXL-3s ESC	6550 6551	Telemetry GPS module, TQi radio system
			· · · · · · · · · · · · · · · · · · ·

6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminun Big Bore shocks)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro		Shocks (Ultra Shocks)
	receiver)	3765A	Body, Ultra Shock(s) (long) (grey) (2)
5528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-	3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
	channel (transmitter only)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scre (2)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-	2742X	Rod ends, short (6)/ hollow balls (6)
	channel (transmitter only)	3767 9364	Shock caps (2)/ shock bottoms (2)
6511	Traxxas Link Wireless Module	8361 3767A	Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shock:
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	3767G	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shock
	Ready-To-Race Model	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shock
	Rear Suspension	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
3638	Shock tower (rear)	1664	Shock shafts, steel, chrome finish (long) (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	1765	Silicone diaphragms (4)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1666	Silicone shock oil (30 wt)
3652P	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-h
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)		(2))
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	2458	Springs, front (black) (2)
20E2V	aluminum (red-anodized)/ 5x11mm ball bearings (4)	2458P 5857P	Springs, front (pink) (2)
6853X 2555	Stub axles, rear, heavy duty (2)/pins (2) Suspension arms, (rear) (2)	2458A	Springs, front (pink) (progressive rate) (2) Springs, front (white) (2)
2555 3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	5857	Springs, front (white) (progressive rate) (2)
JU - U	complete suspension pin set) (Rustler, Stampede, Bandit)	3757	Springs, rear (black) (2)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled	3757T	Springs, rear (blue) (2)
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on	3757A	Springs, rear (green) (2)
	Slash)	3757P	Springs, rear (pink) (2)
	Shocks (Aluminum)	5858P	Springs, rear (pink) (progressive rate) (2)
1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring	3757X	Springs, rear (white) (2)
	retainers (2)	5858	Springs, rear (white) (progressive rate) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
	(2)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load space
2742X	Rod ends, short (6)/ hollow balls (6)	2762	& springs) (front) (2)
2760	Shock caps, aluminum (2)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)	3700A	springs) (2)
1664	Shock shafts, steel, chrome finish (long) (2)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers
2765	Shock shafts, steel, chrome finish (X-long) (2)		springs) (rear) (2)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)		Slipper Clutch Components
1761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)	3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pi
1666	Silicone shock oil (30 wt)		4.0mm NL (1)/ 5.0mm NL (1))
	Shocks (Pro-level Aluminum)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2664	Big Bore shock cylinder (long) (1)	5556	Slipper pressure plate & hub (aluminum alloy)
2666	Big Bore shock cylinder (XX-long) (1)		Spur Gears & Pinion Gears
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	3790	Gear adapter, fixed
	(assembled with TiN shafts and springs) (front & rear) (4)	2416	Gear, 16-T pinion (48-pitch) / set screw
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6	1918	Gear, 18-T pinion (48-pitch) / set screw
	aluminum) (assembled with TiN shafts) w/o springs (front) (2)	2419	Gear, 19-T pinion (48-pitch) / set screw
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6	2423	Gear, 23-T pinion (48-pitch) / set screw
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2426	, . p - (- p -)

2426

2431

4725

4728 4683

4686

4690

2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
	(assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6
	aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
	& washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	(2)

	(2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)

1664 Shock shafts, steel, chrome finish (long) (2) 2656 Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) 1765

1666 Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore 2668 Shocks)

5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Steering Components

Spur gear, 83-tooth (48-pitch) (for models with Torque-Control

Spur gear, 90-tooth (48-pitch) (for models with Torque-Control

Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper

Ball bearings (5x8x2.5mm) (2) 2728 Bellcrank bushings (plastic) (5x8x2.5mm) (4) 2545 Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls 6846 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) 2742 Rod ends, long (6)/ hollow ball connectors (6) 5347 Rod ends, Revo (large) with hollow balls (12) 3744 Servo saver w/adapters

Gear, 26-T pinion (48-pitch)/set screw

slipper clutch)

slipper clutch)

clutch)

Gear, 31-T pinion (48-pitch) / set screw

Gear, pinion (25-tooth) (48-pitch) / set screw Gear, pinion (28-tooth) (48-pitch)/ set screw

Page 4 Slash VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 58076-3) Parts List

. ago .	Classic Particular Classical Established Established		
3967	Shoulder screws 3x10 (6) (without threadlock)	5882	Tires & wheels, assembled, glued (SCT Split-Spoke satin
3743	Steering bellcranks (I&r)/ draglink		chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
3743A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744	5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome
	servo saver w/adapters)		wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner),
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/		SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)
	5x8mm ball bearings (4)/ hardware (assembled)	5000D	(TSM rated)
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/	5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split- Spoke black, satin chrome beadlock style wheel, dual profile
	5x8mm ball bearings (4) hardware (assembled) (requires #3744		(2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts)
6845X	servo saver w/adapters) Steering bellcranks/ servo saver/ servo saver spring/ servo spring		(2) (4WD f/r, 2WD rear) (TSM rated)
001070	retainer/servo horn, steering	6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-
1935	Turnbuckles, 36mm (2)		Spoke chrome, red beadlock style wheels, dual profile (2.2"
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	6892R	(4WD f/r, 2WD rear) (TSM rated) Tires & wheels, assembled, glued (S1 compound) (SCT Split-
24207	wrench #5477)	0092K	Spoke satin chrome, black beadlock style wheels, dual profile
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm		(2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts)
	aluminum wrench #5477)		(2) (4WD f/r, 2WD rear) (TSM rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled	5863R	Tires & wheels, assembled, glued (S1 compound) (SCT, black,
	with rod ends and hollow balls)		orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT
2746	Washers, 3x6mm metal (12)		off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
	Suspension Linkage	6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
5525	Rod ends (12)/ hollow balls (12)		compound) (SCT Split-Spoke satin chrome, black beadlock style
5347	Rod ends, Revo (large) with hollow balls (12)		wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear,
3739	Screw pin set (Rustler/ Bandit/ Stampede)	=000D	2WD rear only)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	5882R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style
00.40	captured (4)		wheels, Kumho tires, foam inserts) (2) (2WD front)
2640	Suspension pins, 44mm (2) w/ E-clips	6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)		compound) (SCT Split-Spoke satin chrome, black beadlock style
3737A	Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled		wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear
	w/rod ends)/hollow balls (2) (fits front & rear on Slash)	5077D	only)
3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled	5877R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels,
	w/rod ends)/hollow balls (2) (fits front & rear on Slash)		BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench		compound) (SCT Split-Spoke chrome, red beadlock style wheels,
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)
	(assembled w/ rod ends & hollow balls) (requires 5mm aluminum	5863	(4WD f/r, 2WD rear) Tires & wheels, assembled, glued (SCT black, orange beadlock
	wrench #5477)	3003	wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire,
3741X	Turnbuckles, aluminum (red-anodized), camber links, front,		foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	5888	Tires & wheels, assembled, glued (SCT chrome wheels, red
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)		beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road
0.0021	(assembled with rod ends & hollow balls) (requires 5mm	5887	racing tires, foam inserts) (2) (2wd front) Tires & wheels, assembled, glued (SCT chrome wheels, red
	aluminum wrench #5477)	3001	beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled		racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
	with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	5869	Tires & wheels, assembled, glued (SCT chrome, red beadlock
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled		style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam
	with rod ends and hollow balls)	E067	inserts) (2) (2WD front)
	Team Traxxas Items	5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam
2514	Decal sheet, racing sponsors		inserts) (2)(4WD front/rear, 2WD rear only)
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)	5873R	Tires & wheels, assembled, glued (SCT satin chrome red
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)		beadlock wheels, ultra-soft S1 compound off-road racing tires,
9909	Traxxas racing banner, red & black (3x7 feet)	E004V	inserts) (2) (2WD rear, 4WD f/r)
	Tires & Wheels	5881X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5875	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,	-	wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
	#6469)	5873	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)		wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear,
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	5878	2WD rear only) (TSM rated) Tires & wheels, assembled, glued (SCT satin chrome, black
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	3070	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)		tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5881	Tires & wheels, assembled, glued (SCT satin chrome, black
1647 2754	Silicone grease Stub avia pins (4)		beadlock style wheels, Kumho tires, foam inserts) (2) (2WD
275 4 5864	Stub axle pins (4) Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT	F0751	front)
0001	off-road racing tires, foam inserts) (2) (2WD front)	5875X	Tires & wheels, assembled, glued (SCT satin chrome, black
5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock		beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)
	wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts)	5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock
E000 -	(2) (2WD Front)		style wheels, SCT off-road racing tires, foam inserts) (2) (4WD
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock		front/rear, 2WD rear only)
	wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	5873A	Tires & wheels, assembled, glued (SCT satin chrome, red-
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock		beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
	style wheels, Kumho tires, foam inserts) (2) (4WD front/rear,	5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin
	2WD rear only)		chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner),
5880	Tires & wheels, assembled, glued (SCT satin chrome, black		SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear)
	beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)		(TSM rated)
	nonarous, Etto rous omy)		

Page 5	Slash VXL: TQi Traxxas	Link Enabled 2.4GHz Radio	& TSM (Model 58076-3) Parts List
--------	------------------------	---------------------------	----------------------------------

Page 5	Siash VXL: I QI I raxxas Link Enabled 2.4GHZ Radi	0 & 1 2 IVI	(Model 58076-3) Parts List
5890	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin	5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile
	chrome beadlock style wheels, dual profile (2.2" outer, 3.0"		(2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6873A	inner), SCT off-road racing tires, foam inserts) (2) (2WD front) Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red	5886	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
0073A	beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual
	tires, foam inserts) (2) (4WD f/r, 2WD rear)		profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red	6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual
	beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM	5876A	profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) Wheels, SCT Split-Spoke, chrome, red beadlock style, dual
	rated)	3070A	profile (2.2" outer, 3.0" inner) (2WD front) (2)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin	6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual
	chrome, beadlock style wheels, paddle tires, foam inserts) (2)		profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
6873	(4WD front/rear, 2WD rear only) (TSM rated) Tires & wheels, assembled, glued (SCT Split-Spoke satin	5876	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2)
00.0	chrome, black beadlock style wheels, BFGoodrich® Mud-	6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style,
	Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)		dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear
6892	(TSM rated) Tires & wheels, assembled, glued (SCT Split-Spoke satin	=000	only) (2)
0032	chrome, black beadlock style wheels, dual profile (2.2" outer,	5866	Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
	3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r,	6875	Wheels, SCT, chrome, green beadlock style, dual profile (2.2"
6974	2WD rear) (TSM rated)		outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only)
6874	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts)		Transmission Components
	(2) (4WD front/rear, 2WD rear only)	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
5885	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	4607	Ball bearings (5x11x4mm) (8)
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD Front)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin	3792 3790	Dust cover/rubber plug (w/ screws) (telemetry ready)
	chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A®	3790 3691	Gear adapter, fixed Gearbox halves (I&r) (black) w/ idler gear shaft
	KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)	3691A	Gearbox halves (l&r) (grey) w/ idler gear shaft
5877A	Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2	5148	Grease, white lithium
	tires, foam inserts) (2) (2WD front)	3696	Idler gear, steel (30-tooth)
5877	Tires & wheels, assembled, glued (SCT Split-Spoke, satin	3793 2381X	Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit,
	chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	20017	Stampede, Rustler)
5865	Tires & wheels, assembled, glued (SCT, chrome, green beadlock	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
	wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts)	0000	shaft (1) all hardened steel
	(2) (2WD front only)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
6876	Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
	(2) (4WD front/rear, 2WD rear only)		4.0mm NL (1)/ 5.0mm NL (1))
6871	Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-	2554 3931	Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)
6871R	2.2/3.0") (2)/ foam inserts (2) Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-	1647	Silicone grease
007 111	road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam	5556	Slipper pressure plate & hub (aluminum alloy)
0070	inserts (2)	3195	Top drive gear, steel (22-tooth)
6870 6870R	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual		Turnbuckles & Threaded Rods
	profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)	5525	Rod ends (12)/ hollow balls (12)
5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam	5347 3737A	Rod ends, Revo (large) with hollow balls (12) Turnbuckle, aluminum (blue-anodized), 39mm (1)(assembled
5871R	inserts (2) Tires, ultra-soft, S1 compound for off-road racing, SCT dual	OIOIA	w/rod ends)/hollow balls (2) (fits front & rear on Slash)
007 110	profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)	3737	Turnbuckle, aluminum (red-anodized), 39mm (1) (assembled
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	3741A	w/rod ends)/hollow balls (2) (fits front & rear on Slash) Turnbuckles, aluminum (blue-anodized), camber links, front,
3654	Wheel hubs, hex (tall offset, Rustler/Stampede front) (2)/ axle pins (2.5x10mm) (2)	3/4/4	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,		wrench
	splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
	pin (4)/wrench, 5mm		wrench #5477)
5353 5480X	Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm	3741X	Turnbuckles, aluminum (red-anodized), camber links, front,
5870X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer,		39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow
	3.0" inner) (2WD front) (2)	3139X	balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
5868X	Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)	J.00A	(assembled with rod ends & hollow balls) (requires 5mm
5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer,		aluminum wrench #5477)
00.0	3.0" inner) (2WD front) (2)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with red and and hellow hells) (4 left, 1 right) (fits front % roor on
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer,		with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
5874	3.0" inner) (4WD front/rear, 2WD rear only) (2)	3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled
JU14	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front)		with rod ends and hollow balls)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer,		
E072V	3.0" inner) (4WD front/rear, 2WD rear only)		
5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		If you have questions or need technical assistance, call Traxxas at:
5874X	Wheels, SCT satin chrome, black beadlock style, dual profile		
	(2.2" outer, 3.0" inner) (2WD front) (2)		1-888-TRAXXAS
5874A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)		(1-888-872-9927) (U.S. residents only)
5872A	outer, 3.0" inner) (2WD front) (2) Wheels, SCT satin chrome, red beadlock style, dual profile (2.2"		For orders, calls outside the U.S., and other information, call 972-549-3000,
	outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
5886A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile		
	(2.2" outer, 3.0" inner) (2WD front) (2)		