



Stampede® 4X4 VXL (Model 67086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 6715 Body mount (1)/ body mount post (2) (front)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)**
- 3617 **Body, Stampede® (clear, requires painting) (requires #3614 to mount)**
- 6711X **Body, Stampede® 4X4 VXL, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 2514 **Decal sheet, racing sponsors**
- 6713 Decal Sheet, Stampede® 4X4 VXL
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 6777 Wheelie bar mounts/ rear skidplate (black)
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 6741 Cover, center driveshaft (clear)
- 6877A **Cover, gear (clear)**
- 6877 Cover, gear/ motor wire hold-down clip
- 6814 **Differential kit, center (complete)**
- 6888 **Drive hub, center, rear (1)/ 4x3 GS (1)**
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6755 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 6755G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
- 6755R **Driveshaft, center, 6061-T6 aluminum (red-anodized)**
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 6890 Plate, motor
- 6890X **Plate, motor, 6061-T6 aluminum (blue-anodized)**
- 5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)

- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 **Slipper pressure plate and hub (alloy)**

Chassis & Attachments

- 6715 Body mount (1)/ body mount post (2) (front)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 3628 Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
- 6735 Bumper, front/ skidplate, front (black)
- 6722 Chassis
- 6727 Hold down, battery (2)/ hold down retainer/ battery post/ angled body clip
- 6727X **Hold down, battery/ hold down retainer/ battery post/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 6777 Wheelie bar mounts/ rear skidplate (black)
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 **Differential kit, center (complete)**
- 6814 **Differential kit, center (complete)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 6788 **Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale 4X4 Slash, Stampede®, Rustler®, Rally)**
- 6789 **Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale 4X4 Slash, Stampede®, Rustler®, Rally)**
- 6783 **Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 6782 **Output gears, center differential, hardened steel (2)**
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9059X **Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
- 9057X **Differential output shafts, steel-splined constant-velocity (2)**
- 6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6851X Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852A **Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
- 9051X **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**

Page 2 Stampede® 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 67086-4) Parts List

6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)	6834	Suspension pin set, complete (front and rear)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)	6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
6750	Half shaft, external splined (steel-spline constant-velocity) (1)	6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)	6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6751	Half shaft, internal splined (steel-spline constant-velocity) (1)	6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)	5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)	6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	Hardware	
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	1926	Antenna caps, vinyl (2)/ antenna spool
6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9054X	Stub axle, front, steel-splined constant velocity (1)	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)	1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
9053X	Stub axle, rear, steel-splined constant velocity (1)	3935	Body clip (mounting clip), angled, 90-degrees (10)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
6853X	Stub axles, rear, heavy duty (2)/ pins (2)	3934	Body clips, heavy duty (12)

Front Suspension & Steering

5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	1589	Double-sided adhesive tape (25mm x 25mm) (2)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)	2745	Nuts, 3mm nylon locking (12)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
6830X	Bulkhead, front	1747	Nuts, 4mm nylon locking (10)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
6832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
6832A	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right	5525	Rod ends (12)/ hollow balls (12)
6832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right	2742X	Rod ends, short (6)/ hollow balls (6)
6832	Caster blocks (c-hubs), left & right	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)	3965	Screws, 2.5x8mm cap-head machine (6)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)	2552	Screws, 3x12mm countersunk machine (6) (hex drive) (6)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	2583	Screws, 3x18mm button-head machine (hex drive) (6)
6839	Shock tower, front	2580	Screws, 3x20mm button-head machine (hex drive) (6)
6839X	Shock tower, front, 7075-T6 aluminum (blue-anodized)	2591	Screws, 3x23mm button-head machine (hex drive) (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/ servo horn, steering	2582	Screws, 3x30mm button-head machine (hex drive) (6)
6837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right	2592	Screws, 3x40mm button-head machine (hex drive) (6)
6837G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right	2575	Screws, 3x6mm button-head machine (hex drive) (6)
6837A	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
6837R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right	2534	Screws, 3x6mm countersunk machine (6) (hex drive) (6)
6837	Steering blocks, left & right	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
6732	Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3x16mm BCS (8)	3937	Screws, 4x12mm button-head machine (hex drive) (6)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)	2743	Set (grub) screws, 3mm hardened (12)
3655X	Suspension arms, left & right	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)	2754	Stub axle pins (4)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)	2746	Washers, 3x6mm metal (12)

LED Lights

6784 LED light bar (chrome, 4 clear lights)

Manuals

6799 Owner's Manual, Stampede® 4X4 VXL

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete)
3340	Cooling fan, Velineon® VXL-3s ESC
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
3458	Heat sink (fits #3351R and #3461 motors)
3354R	Motor cover, endbell (Velineon® 3500)
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)

Page 3 Stampede® 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 67086-4) Parts List

3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
2075	Servo, digital high-torque (ball bearing), waterproof	6540	Telemetry trigger magnet, 5X2mm (1)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))	6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)

Radio System, Batteries & Chargers

2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), grey (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6555	Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof

2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module

Ready-To-Race Model

67086-4	Stampede® 4X4 VXL: 1/10 Scale Monster Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	--

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
6829	Bulkhead, rear
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
1952T	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)
1952	Carriers, stub axle (rear) (2)
1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6838	Shock tower, rear
6838X	Shock tower, rear, 7075-T6 aluminum (blue-anodized)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853X	Stub axles, rear, heavy duty (2)/pins (2)
6733	Suspension arm guards, rear (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655X	Suspension arms, left & right
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)

Page 4 Stampede® 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 67086-4) Parts List

- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 1667 Silicone shock oil (30 wt), 60cc
- 5038 Spinning carousel rack

Shocks (GTR)

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
- 7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7468X Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks) (6)
- 7464T Shaft, GTR long, TiN-coated (2)
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461X Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-Level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 2666 Big Bore shock cylinder (XX-long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)

- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs, front (black) (2)
- 3758T Springs, front (blue) (2)
- 3758A Springs, front (green) (2)
- 3758P Springs, front (pink) (2)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 3758X Springs, front (white) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 3757 Springs, rear (black) (2)
- 3757T Springs, rear (blue) (2)
- 3757A Springs, rear (green) (2)
- 3757P Springs, rear (pink) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 3757X Springs, rear (white) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
- 6814 Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)

Page 5 Stampede® 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 67086-4) Parts List

6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
6878	Slipper clutch, complete
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

6747	Gear, 11-T pinion (32-p) (steel)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
6745	Gear, 9-T pinion (32-p) (steel)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

Steering Components

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/ servo horn, steering
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)

3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
6834	Suspension pin set, complete (front and rear)
2537	Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
4175	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer™ tires, foam inserts) (2) (TSM® rated)
3671	Tires, Talon 2.8" (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6856X	Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5576A	Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4) (2)
5576	Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
5572	Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive

Page 6 Stampede® 4X4 VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 67086-4) Parts List

- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 5525 Rod ends (12)/ hollow balls (12)
- 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM