



# Ford Fiesta® ST Rally (Model 74054-6) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

<b>4607</b>	<b>Ball bearings (5x11x4mm) (8)</b>
<b>4612</b>	<b>Ball bearings (10x15x4mm) (2)</b>
<b>2728</b>	<b>Ball bearings (5x8x2.5mm) (2)</b>
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
3934	Body clips, heavy duty (12)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
7434	Body bumper, foam (low profile) (use with #7435 front skidplate)
<b>3935</b>	<b>Body clip (mounting clip), angled, 90-degrees (10)</b>
3934	Body clips, heavy duty (12)
6416	Body mount posts (2)/ body post pivot (2)/ screw pins, 2.5x18mm (2)
7415X	Body mounts, front & rear/ body post, rear (1)
1815	Body washers (8)
<b>6716</b>	<b>Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)</b>
<b>7412</b>	<b>Body, Ford Fiesta® ST Rally (clear, requires painting)</b>
<b>7412X</b>	<b>Body, Ford Fiesta® ST Rally, Brian Deegan (painted, decals applied)</b>
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
<b>9950</b>	<b>Official Team Traxxas racing decal set (flag logo/ 6-color)</b>
7413	Wing, Ford Fiesta® ST Rally (black)/ hardware

## Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
<b>6893X</b>	<b>Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)</b>
7477	Cover, gear/ wire retainer
<b>6814</b>	<b>Differential kit, center (complete)</b>
6888	Drive hub, center, rear (1)/ front (1)/screw pin
<b>6855</b>	<b>Driveshaft, center, 6061-T6 aluminum (blue-anodized)</b>
7455	Driveshaft, center, plastic (black)/ screw pin
6766	Gear clutch, complete (high stall)
<b>6883</b>	<b>Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)</b>
5148	Grease, white lithium
<b>6884</b>	<b>Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)</b>
6893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
7460	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
7490	Plate, motor
<b>5352R</b>	<b>Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
<b>5352X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))</b>
<b>5552X</b>	<b>Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))</b>
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone grease
<b>6878</b>	<b>Slipper clutch, complete</b>
<b>5556</b>	<b>Slipper pressure plate &amp; hub (aluminum alloy)</b>
<b>5351</b>	<b>Slipper pressure plate and hub (alloy)</b>

## Chassis & Attachments

7426	Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
<b>7426X</b>	<b>Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)</b>
7434	Body bumper, foam (low profile) (use with #7435 front skidplate)
7424	Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)

7422	Chassis
7423	Nerf bars, chassis (2)
7425	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
7435	Skidplate, front (angled for higher ground clearance) (use with #7434 foam body bumper)

## Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
<b>6814</b>	<b>Differential kit, center (complete)</b>
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6881	Housings, differential, front
6880	Housings, differential, rear
5379X	Ring gear, differential/ pinion gear, differential
<b>5379R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)</b>
<b>6879R</b>	<b>Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)</b>
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone grease

## Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6760	Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6761	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6759	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6853X	Stub axles, rear, heavy duty (2)/pins (2)

## Front Suspension & Steering

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
<b>6823R</b>	<b>Bulkhead tie bars, front &amp; rear, aluminum (red-anodized)</b>
7430	Bulkhead, front
6743	Camber link set (plastic/ non-adjustable) (front & rear)
<b>6832X</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum, left &amp; right (blue-anodized)</b>
<b>6832R</b>	<b>Caster blocks (c-hubs), 6061-T6 aluminum, left &amp; right (red-anodized)</b>
6832	Caster blocks (c-hubs), left & right
<b>6895</b>	<b>Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)</b>
<b>6897</b>	<b>Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)</b>
7438	Linkage, steering
2742	Rod ends, long (6)/ hollow ball connectors (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6839	Shock tower, front
<b>6839X</b>	<b>Shock tower, front, 7075-T6 aluminum (blue-anodized)</b>
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
<b>6837X</b>	<b>Steering blocks, 6061-T6 aluminum, left &amp; right (blue-anodized)</b>
<b>6837R</b>	<b>Steering blocks, 6061-T6 aluminum, left &amp; right (red-anodized)</b>
6837	Steering blocks, left & right
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
6731	Suspension arms, front/rear (left & right) (2)
6834	Suspension pin set, complete (front and rear)
<b>6898</b>	<b>Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)</b>
3139	Turnbuckles (62mm) (front tie rods) (2)
<b>3139A</b>	<b>Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>

- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 6896 Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

**Hardware**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 3935 **Body clip (mounting clip), angled, 90-degrees (10)**
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm) (2)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18mm button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2534 Screws, 3x6mm countersunk machine (6) (hex drive)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3936 Screws, 4x10mm button-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 3938 Screws, 4x14mm button-head machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2748X Tool Set (1.5mm & 2.5mm allens/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)
- 2746 Washers, 3x6mm metal (12)

**Motors & Electronics**

- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3340 **Cooling fan, Velineon VXL-3s ESC**
- 3354R Motor cover, endbell (Velineon 3500)
- 7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 3785 Motor, Titan 12T (12-Turn, 550 size)
- 3351R **Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)**
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2056 Servo, high-torque, waterproof (blue case)
- 3350R **Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))**
- 3355R **Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)**
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Radio System, Batteries & Chargers**

- 2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
- 2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
- 2976 **AC to DC converter, 40W**
- 2938X **Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
- 2914 **Battery, Power Cell AA Alkaline (4)**
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**

- 2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
- 2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
- 2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
- 2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
- 2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
- 2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
- 2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
- 2972 **Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
- 2971 **Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification**
- 2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
- 2929 **Charging Bag, 30 watt hours rated**
- 6525 **Communication link, telemetry expander**
- 6512 **Cover plate, Traxxas Link Wireless Module**
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 6555 **Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato)**
- 6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6533 **Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)**
- 6518 **Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
- 6526 **Sensor, auto-detectable, temperature**
- 6527 **Sensor, auto-detectable, voltage**
- 6520 **Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)**
- 6521 **Sensor, temperature and voltage (long)**
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2056 Servo, high-torque, waterproof (blue case)
- 6550 **Telemetry expander, TQi radio system**
- 6551 **Telemetry GPS module, TQi radio system**
- 6539 **Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)**
- 6540 **Telemetry trigger magnet, 5X2mm (1)**
- 2928 **Temperature sensor, EZ-Peak Plus**
- 6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
- 6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
- 6529 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
- 6530 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
- 6511 **Traxxas Link Wireless Module**

**Ready-To-Race Model**

- 74054-6 Ford Fiesta® ST Rally: 1/10 Scale Electric Rally Racer with Officially Licensed Painted Body and TQ 2.4GHz radio system

**Rear Suspension**

- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
- 7429 Bulkhead, rear
- 6743 Camber link set (plastic/ non-adjustable) (front & rear)
- 1952X **Carriers, stub axle (blue-anodized 6061-T6 aluminum)(rear)(2)**
- 1952 Carriers, stub axle (rear) (2)
- 1952A **Carriers, stub axle (red-anodized 6061-T6 aluminum)(rear)(2)**
- 6895 **Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
- 6897 **Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 6838 Shock tower, rear
- 6838X **Shock tower, rear, 7075-T6 aluminum (blue-anodized)**
- 6853X Stub axles, rear, heavy duty (2)/pins (2)
- 6731 Suspension arms, front/rear (left & right) (2)
- 6834 Suspension pin set, complete (front and rear)
- 6898 **Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)**
- 3139 Turnbuckles (62mm) (front tie rods) (2)
- 6896 **Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)**

### Shocks (Aluminum)

1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2760	Shock caps, aluminum (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (X-long) (2)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666	Silicone shock oil (30 wt)

### Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
2666	Big Bore shock cylinder (XX-long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
7458	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
7457	Springs, rear (white) (progressive rate) (2)

### Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock(s) (long) (grey) (2)
3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
1666	Silicone shock oil (30 wt)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)

7458	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
7457	Springs, rear (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
6893X	Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6814	Differential kit, center (complete)
6888	Drive hub, center, rear (1)/ front (1)/screw pin
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6766	Gear clutch, complete (high stall)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo (1)/ spring, Maxx (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
6878	Slipper clutch, complete
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

### Spur Gears & Pinion Gears

7477	Cover, gear/ wire retainer
2428	Gear, 12-T pinion (48-pitch)/ set screw
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
2431	Gear, 31-T pinion (48-pitch) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) / set screw
2676	Screws, 3x12mm roundhead self-tapping (6)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
7438	Linkage, steering
2742	Rod ends, long (6)/ hollow ball connectors (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746	Washers, 3x6mm metal (12)

### Suspension Linkage

6743	Camber link set (plastic/ non-adjustable) (front & rear)
6834	Suspension pin set, complete (front and rear)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)

### Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)

1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
7473T	Tires & wheels, assembled, glued (black wheels, gravel pattern tires, foam inserts) (2) (TSM rated)
<b>7473X</b>	<b>Tires &amp; wheels, assembled, glued (Green wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated)</b>
<b>7473A</b>	<b>Tires &amp; wheels, assembled, glued (orange wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated)</b>
<b>7473R</b>	<b>Tires &amp; wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, S1 compound tires, foam inserts) (2)</b>
<b>7473</b>	<b>Tires &amp; wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, tires, foam inserts) (2) (TSM rated)</b>
<b>7471</b>	<b>Tires, BFGoodrich® Rally, gravel pattern (2)/ foam inserts (2)</b>
<b>7471R</b>	<b>Tires, BFGoodrich® Rally, gravel pattern, S1 compound (2)/ foam inserts (2)</b>
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6856X	Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
<b>5353</b>	<b>Wheel nuts, splined, 17mm (blue-anodized) (4)</b>
<b>5480X</b>	<b>Wheel wrench, splined, 17mm</b>
<b>7472X</b>	<b>Wheels, green (2)</b>
<b>7472A</b>	<b>Wheels, orange (2)</b>
<b>7472</b>	<b>Wheels, white (2)</b>

### Turnbuckles & Threaded Rods

6743	Camber link set (plastic/ non-adjustable) (front & rear)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3139	Turnbuckles (62mm) (front tie rods) (2)
<b>3139A</b>	<b>Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>
<b>3139X</b>	<b>Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends &amp; hollow balls) (requires 5mm aluminum wrench #5477)</b>

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**