

TRX-4® Scale and Trail™ Crawler (Model 82056-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet Blazer)
8241	Axle housing, front	8090	LED light set, complete with power supply (contains headlights,
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		tail lights, side marker lights, & distribution block) (fits #9111 or
8227 8228	Axle mount set (complete) (front & rear) (for suspension links)	9112	9112 body) Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8228 8229	Axle shaft, front (left)/ drive pin/ cross pin Axle shaft, front (right)/ drive pin/ cross pin	3112	(includes grille, side mirrors, door handles, windshield wipers,
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front		decals, window masks)
	portal drive input gear)	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill,
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear		side mirrors, door handles, windshield wipers, front & rear
0000	(machined) (2) (assembled)	9125	bumpers, decals) Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
8230 8231	Axle shaft, rear (left) Axle shaft, rear (right)	0.20	drill bit (fits #9126 or #9127 front bumpers)
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
0001	rear (machined)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
	drive input gear)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8233 8256	Cross pin (2)/ driv e pin (2) (to rebuild front axle shafts) Portal driv e axle mount, rear (left & right)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)	• • • • • • • • • • • • • • • • • • • •	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
0230A	(left and right)/ 2.5x16 CS (4)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
	anodized) (left and right)/ 2.5x16 CS (4)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/ hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8256R	anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
0230IX	(left and right)/ 2.5x16 CS (4)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	0424	(self-tapping) (8)
8253	Portal drive housing, inner, rear (left or right) (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9112 body)
8251	Portal drive housing, outer (front or rear) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8064	Portal drive input gear, front (machined) (left or right) (requires	6591	Pro Scale® Advanced Lighting Control System (includes power
8257	#8060 front axle shaft) Portal drive input gear, front/ drive pin/ cross pin		module & distribution block)
8259	Portal drive input gear, rear	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8065	Portal drive input gear, rear (machined) (left or right) (requires		BCS (self-tapping) (4)
	#8063 rear axle)		Body (1972 Chevrolet Blazer)
8258	Portal drive output gear, front or rear	8090	LED light set, complete with power supply (contains headlights,
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)		tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
	anodized) (2)/ 3x12 BCS (2)		grille, side mirrors, side trim, door handles, windshield wipers,
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-		decals, window masks)
00500	anodized) (2)/ 3x12 BCS (2)	9111X	Body, Chevrolet Blazer (1972), complete (blue) (includes grille, side mirrors, door handles, windshield wipers, front & rear
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)		bumpers, decals)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
	(2)/ 2.5x10 CS (2)		drill bit (fits #9126 or #9127 front bumpers)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
92520	anodized) (2)/ 2.5x10 CS (2)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green- anodized) (2)/ 2.5x10 CS (2)	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6593	Distribution block, Pro Scale® Advanced Lighting Control
	(2)/ 2.5x10 CS (2)		System
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9115	Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8251A	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
023 IA	anodized) (2)/ 2.5x10 CS (12)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
	2.5x10 CS (12)		body)
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8255	2.5x10 CS (12) Stub axle (portal drive) (2)		(self-tapping) (8)
8255A	Stub axle, extended (portal drive) (2)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)		#9111 body)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	6592	Power module, Pro Scale® Advanced Lighting Control System
	Bearings & Bushings	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		(self-tapping) (5) (fits #9111 body)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		2.6x8 BCS (self-tapping) (4)
5114A 5117A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		Body (1979 Chevrolet Blazer)
5117A 5180A	Ball bearings, black rubber sealed (6x12x4mm) (2) Ball bearings, black rubber sealed (6x13x5mm) (2)	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ window
5100A	Ball bearings, black rubber sealed (0x10x0mm) (2)		masks

Page 2	TRX-4® Scale and Trail™ Crawler: TQi Traxxas Li	nk Enabl	ed 2.4GHz Radio (Model 82056-4) Parts List
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
8130R	bumpers, decals) Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8025 8029	LED light bar (Rigid®), TRX-4 (requires #8028 power supply) LED light bar kit (Rigid®)/power supply, TRX-4®
8131	bumpers, decals) Decal sheet, Chevrolet Blazer (1979)	8030	LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body)
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8095	LED light set, complete with power supply (contains headlights, tail lights, roof light bar, rock lights & distribution block) (fits
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)	8020	#8011 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011
8134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)	8015 8021	body) Roof basket (requires #8016 ExoCage) (fits #8011 body) Spare tire mount/ mounting bracket/ screw pins (2)
8039	LED light set (contains headlights, tail lights, side marker lights,	8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 body)
0000	distribution block (fits #8130 body, requires #8028 power supply)		Body (Mercedes-Benz® G 500®)
8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)	8811	Body, Mercedes-Benz® G 500® 4x4² (clear, requires painting)/ decals/ window masks (includes rear body post, grille, side
8133X	Mirrors, side (folding) (fits #8130 body)		mirrors, door handles, & windshield wipers)
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits	8812 6593	Decals, Mercedes-Benz® G 500® 4x4²
6592	#8130 body) Power module, Pro Scale® Advanced Lighting Control System	6533	Distribution block, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power	8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/
8135	module & distribution block) Tail lights, left & right (assembled)/ tail light retainers, left &		headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing
	right/ side marker lights (assembled) (2)/ side marker retainers	8899	(2)/ turn signal housing retainer (2)/ turn signal len LED light set (contains headlights, tail lights, roof lights, and
	(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body)	0000	distribution block) (fits #8811 or #8825 body, requires #8028 power supply)
8010	Body (1979 Ford Bronco) Body, Ford Bronco (1979) (clear, requires painting)/ decals/	8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or #8825
8010X	window masks/ tailgate panel insert/ adhesive foam tape (2) Body, Ford Bronco (1979), complete (black) (includes front and	8817	body) Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers,
00102	rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and	0017	left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
	sunset decals) (requires #8072 inner fenders)	6592	Power module, Pro Scale® Advanced Lighting Control System
8078R 8078	Decal sheet, Bronco, red (fits #8010 body) Decal sheet, Bronco, sunset (fits #8010 body)	6591	Pro Scale® Advanced Lighting Control System (includes power
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8822	module & distribution block) Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)	8816X	(3) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
8070	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)	8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)
8036	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power		Body (Tactical Unit)
	supply)	8211X	Body, Tactical Unit, night camo (painted)/ decals
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010	8019 8017	Fender brace, inner, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
	body)	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 body)	8021	#8011 body) Spare tire mount/ mounting bracket/ screw pins (2)
8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)	0021	Body (TRX-4® Sport)
	(fits #8010 body)	0442	Body with camper, TRX-4® Sport (clear, trimmed, requires
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power	8112 8111R	painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,
8076	module & distribution block) Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)	8111	requires painting)/ window masks/ decal sheet Body, TRX-4® Sport (clear, trimmed, requires painting)/ window
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting		masks/ decal sheet
8077	hardware Tailgate panel insert (clear, requires painting)/ adhesive foam	8113 6593	Decal sheet, TRX-4® Sport Distribution block, Pro Scale® Advanced Lighting Control
0074	tape (2) (fits #8010 body)	8120X	System Expedition rack, complete (includes traction boards, shovel, axe,
8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)		jack, fire extinguisher, fuel cans, & mounting hardware) (fits
0044	Body (Land Rover® Defender®)	0400	#8111 or #8111R body)
8011 8011A	Body, Land Rover® Defender® (clear, trimmed, requires painting)/ window masks/ decal sheet	8120 8116	Expedition rack/ mounting hardware (fits #8111 or #8111R body) Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)
OUTIA	Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)	8086	LED expedition rack scene light kit (fits #8111 body, requires
8011T	Body , Land Rover® Defender®, blue (painted)/ decals		#8028 power supply)
8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals	8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
8011R 8012	Body , Land Rov er® Defender®, red (painted)/ decals Decals, Land Rov er® Defender®	8088	LED light bar, front bumper (fits #8124 front bumper, requires
8016	ExoCage (complete with assembly hardware; #8015 roof basket sold		#8028 power supply)
8019	separately) (fits #8011 body) Fender brace, inner, front & rear	8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)	8085	LED light set, complete with power supply (contains headlights,
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	0440	tail lights, & distribution block) (fits #8111 or #8112 body)
8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)	8119 6592	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body) Power module, Pro Scale® Advanced Lighting Control System
			. 55 Sauto, 1.10 Souto Farantou Lighting Control System

Page 3	TRX-4® Scale and Trail™ Crawler: TQi Traxxas Lii	nk Enab	led 2.4GHz Radio (Model 82056-4) Parts List
6591	Pro Scale® Advanced Lighting Control System (includes power		Driveline Components
8122	module & distribution block) Shovel/ axe/ accessory mount/ mounting hardware	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
3118	Spare tire mount/ mounting hardware		(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
3117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens	8255	Stub axle (portal drive) (2)
	(2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8255A	Stub axle, extended (portal drive) (2)
3121X	Traction boards, blue/ mounting hardware	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
3121G	Traction boards, green/ mounting hardware	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
3121A	Traction boards, yellow/ mounting hardware	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
3121	Traction boards/ mounting hardware		anodized) (4)/ screw pin (4)
	Body Accessories	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)
926	Antenna caps, vinyl (2)/ antenna spool		screw pin (4)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
834	Body clips (12) (standard size)		screw pin (4)
834A	Body clips, black (12) (standard size)		Hardware
934	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
3934A 3215	Body mounts & posts, front & rear (complete set)	4004	wrench
1915	Body washers, foam adhesive (10)	1834	Body clips (12) (standard size)
2514	Decal sheet, racing sponsors	1834A	Body clips, black (12) (standard size)
081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
	narrow inner fenders)	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	01077	steel hardware for 4 wheels)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless stee
2072	(10)		hardware used on TRX-4)
3072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
950	Official Team Traxxas® racing decal set (flag logo/ 6-color)		stainless steel hardware used on TRX-4® Long Arm Lift Kit)
	Bumpers & Skidplates	5476X 3647	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
2004		8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
3234	Bumper D-Rings, gray (front or rear)/ 2x12 CS (4)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3234R 3067	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) Bumper mounts, front & rear	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3237	Bumper mounts, front & rear/ screw pins (4)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
3069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
3235	Bumper, front/ winch	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
3236	Bumper, rear	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	8221	Screw pin, 3x10mm (6)
3066	Push bar, bumper (chrome) (fits #8069 bumper)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3238	Skidplate/ lower gear cover	2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
	Chassis & Attachments	3236	Screws, 2.5x12mm cap-head machine (6)
3215	Body mounts & posts, front & rear (complete set)	2618 3215	Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)
3224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
	BCS (5)/ 2.5x8 CS (2)	3965	Screws, 2.5x8mm cap-head machine (filex drive) (b)
3058	Chassis conversion kit, TRX-4® (long to short wheelbase)	2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear inner	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)	2577	Screws, 3x10mm button-head machine (hex driv e) (6)
3220	Chassis rails, 448mm (steel) (left & right)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
3072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	2578	Screws, 3x12mm button-head machine (hex drive) (6)
	plate/ 3x8 flat-head screws (4)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
218	Floor pans, left & right	2591	Screws, 3x23mm button-head machine (hex drive) (6)
3224X	Receiver box cover (for use only with #8224 receiver box &	2581	Screws, 3x25mm button-head machine (hex drive) (6)
	#2260 BEC)/ foam pads/ seals/ silicone grease	2616 2582	Screws, 3x27mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)
3219	Rock sliders, left & right	2582 2575	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)
8225	Seal kit, receiver box (includes o-ring, seals, and silicone		
	3 , ,	3932	Screws 3x6mm flat-head machine (hex drive) (6)

		3934	Body clips, fleavy duty (12)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	3934A	Body clips, heavy duty (black) (12)
8080	narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
	Bumpers & Skidplates	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8234	Bumper D-Rings, gray (front or rear)/ 2x12 CS (4)	8347	Nuts, 4mm flanged ny lon locking, serrated (black) (10)
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8067	Bumper mounts, front & rear	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8237	Bumper mounts, front & rear/ screw pins (4)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
8235	Bumper, front/ winch	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
8236	Bumper, rear	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	8221	Screw pin, 3x10mm (6)
8066	Push bar, bumper (chrome) (fits #8069 bumper)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
8238	Skidplate/ lower gear cover	2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
	Chassis & Attachments	3236 2618	Screws, 2.5x12mm cap-head machine (6)
8215	Body mounts & posts, front & rear (complete set)	3215	Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
	BCS (5)/ 2.5x8 CS (2)	3965	Screws, 2.5x8mm cap-head machine (6)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)	2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear inner	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8220	shock towers, long female half shaft)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
8072	Chassis rails, 448mm (steel) (left & right) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	2578	Screws, 3x12mm button-head machine (hex drive) (6)
0012	plate/ 3x8 flat-head screws (4)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
8218	Floor pans, left & right	2591	Screws, 3x23mm button-head machine (hex drive) (6)
8224X	Receiver box cover (for use only with #8224 receiver box &	2581	Screws, 3x25mm button-head machine (hex drive) (6)
	#2260 BEC)/ foam pads/ seals/ silicone grease	2616	Screws, 3x27mm button-head machine (hex drive) (6)
8219	Rock sliders, left & right	2582	Screws, 3x30mm button-head machine (hex drive) (6)
8225	Seal kit, receiver box (includes o-ring, seals, and silicone	2575	Screws, 3x6mm button-head machine (hex drive) (6)
	grease)	3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6)
8240X	Serv o mount, 2-speed/ serv o mount, T-Lock/ wire clips	3931	Screws, 3x8mm button-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)
8239	Serv o mount, steering/ chassis crossmember	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8216 8226	Shock towers, front & rear (left & right) Tray, battery	3933	
0220		2004	LED Light Accessories
0004	Differential Components	8031 8089	3-in-1 wire harness, LED light kit 4-in-2 wire harness, LED light kit
8281	Carrier, differential/ differential slider/ T-Lock fork	6589	Distribution block, LED light set
8280A 8280X	Differential cover, front or rear (black)	8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
8280X 8280	Differential cover, front or rear (chrome-plated) Differential cover, front or rear (gray)		harness
8280R	Differential cover, front or rear (red)	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply
8282	Gear set, differential (output gears (2), spider gears (4), spider gear		and #8018, #8072, or #8080 inner fenders)
	shaft (2))		Long Arm Lift Kit
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screwpin (1)/ cross pin (black)	8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit)
9270	(1) 3x6 BCS with threadlock (1))	8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use

8162

8148

8147

8279

8287

8288

8297

machined)

8279R

Ring gear, differential/ pinion gear, differential

Spool/ differential housing plug/ e-clip

Ring gear, differential/pinion gear, differential (machined)

Ring gear, differential/pinion gear, differential (overdrive, machined)

Ring gear, differential/pinion gear, differential (underdrive,

Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)

Cable, T-lock (extra long) (for use with TRX-4 \circledR Long Arm Lift Kit)

Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)

with #8140R TRX-4® Long Arm Lift Kit)

Page 4	TRX-4® Scale and Trail™ Crawler: TQi Traxxas Lii	nk Enabl	ed 2.4GHz Radio (Model 82056-4) Parts List
8150	Driveshaft extension kit, center (includes internal splined, x-long	2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
	(2), internal splined, long (1) and internal splined, medium (1))	2072X	Gear set, metal (for 2070, 2075 servos)
0440	(for use with TRX-4® Long Arm Lift Kit)	2252	Gear set, metal (for 2250, 2255 servos)
8140 9140¥	Long Arm Lift Kit, TRX-4®, complete	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)	8290X 8290A	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder	8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized)
	coated links, red-anodized shocks)	8290R	Motor mount plate, 6061-T6 aluminum (green-unodized)
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
0444	(for use with TRX-4® Long Arm Lift Kit)	8290	Plate, motor/ upper spur gear cover
8141 8161	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
0101	with TRX-4® Long Arm Lift Kit)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2063	Serv o case/gaskets (for 2065 waterproof sub-micro serv o)
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8160	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
0100	(for use with #8140 TRX-4® Long Arm Lift Kit)	5000	servo)
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white	5669	Serv o horn (with built-in spring and hardware) (for Summit locking differential)
	stripe) (for use with TRX-4® Long Arm Lift Kit)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8155	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included		waterproof (#2262 external BEC and #8247X metal servo horn
0133	with TRX-4® Long Arm Lift Kit)		recommended for optimal performance)
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green	2255	Servo, digital high-torque 400 brushless, metal gear (ball
	stripe) (for use with TRX-4® Long Arm Lift Kit)		bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)	2075X	Serv o, digital high-torque, metal gear (ball bearing), waterproof
8146X	(for use with TRX-4® Long Arm Lift Kit)	2065A	Servo, sub-micro, waterproof
01407	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow	2065X	Servo, sub-micro, waterproof, metal gear
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link,	2264	detection, fwd/rev/brake)
	5x63mm (red powder coated steel) (assembled with hollow balls)	2261	Y-harness, BEC
8144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated		o Scale® Advanced Lighting Control System
01447	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	6593	Distribution block, Pro Scale® Advanced Lighting Control
	Long Arm Lift Kit)	6502	System Power module Pre Scale® Advanced Lighting Central System
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®		module & distribution block)
8144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with		Pro Scale® Winch & Accessories
0144	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8865	Bumper, front, winch, narrow (includes bumper mount, D-Rings,
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled	0000	fairlead, hardware) (fits TRX-4® Land Rover® Defender® and
	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)		Tactical Unit with 8855 winch) (200mm wide)
8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated	8859	Fairlead, winch
	steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated	8870A	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (gray-anodized) (use with front
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	00/UA	bumpers #8865, 8866, 8867, 8869, or 9224)
	Long Arm Lift Kit)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
0140%	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8870R	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (red-anodized) (use with front
	Long Arm Lift Kit)	001UK	bumpers #8865, 8866, 8867, 8869, or 9224)
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated	8862	Gearmotor, winch
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8863	Hook, winch (steel)
8142	Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled	8858	Housings (front & rear), winch/ decal
0.1-12	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8864X	Line, winch (blue)
8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated	8864	Line, winch (gray)
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8864R 8860	Line, winch (red) Spool shaft assembly, winch
0442D	Long Arm Lift Kit)	8861	Spool, winch
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8855	Winch kit with wireless controller, TRX-4
	Long Arm Lift Kit)	8856	Winch, TRX-4® (requires #8857 wireless remote)
8172	Tires and wheels, assembled (Method 105 2.2" black chrome	8857	Wireless remote, winch, TRX-4®
	beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1		Radio System, Batteries & Chargers
0101	left, 1 right) Tires and whools assembled alred (TBY 4® Sport 2.2" whools	2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)	2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
	rings sold separately)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	2976 2938X	AC to DC converter, 40W
	rings sold separately)	2330A	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
	Motors & Electronics	1726	Antenna, tube (1)/ viny lantenna cap (1)/ wire retainer (1)
1926	Antenna caps, vinyl (2)/ antenna spool	2943	Battery charge indicators (green (4), blue (4), gray (4))
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
2262 2064	BEC, complete (includes receiver box cover and seals) Gear set (for 2065 waterproof sub-micro servo)	0000	6530 transmitters)
2064A	Gear set (for 2065A waterproof sub-micro servo)	8222 2914	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries) Battery, Power Cell AA Alkaline (4)
	(.c	2017	Dates, J. 1 Ones Collect Analisis (4)

Page 5	TRX-4® Scale and Trail™	Crawler: TQi Traxxas	Link Enabled 2.4GHz Radio	(Model 82056-4) Parts List
--------	-------------------------	----------------------	---------------------------	----------------------------

	Page 5	IRX-4® Scale and Irali' Crawler: IQI Iraxxas Lii	нк Епарі 	eu 2.4962 kadio (Model o2030-4) Parts List
Selective Series Fower Cell 3000mb (Nills 7, C and 8, AV)		The state of the s		Scale Details
Battery, Series & Prover Cell. 500m/h, (NIME), T.O flat, 8.497				
State Charge Color Compress Part Color Color State Color Color State Color Color State Color Color State Color				
Solitory (1) Section Solitory (1) Solitory	2983			
Baltery/Charager completer pack findudes 7270 (De Charger (1), 288 A Silone) A. 7.4. 2 call 25C (LiPo battery (2)) Baltery/Charager completer pack findudes 7270 (De Charger (1), 288 A Silone) A. 7.4. 2 call 25C (LiPo battery (2)) Baltery/Charager complete pack findudes 7270 (De Charger (1), 288 A Silone) A. 7.4. 2 call 25C (LiPo battery (2)) Baltery (1), 288 A 7.60 m.h. 7.4. 2 call 25C (LiPo battery (2)) Baltery (1), 288 A 7.60 m.h. 7.4. 2 call 25C (LiPo battery (2)) Charger, D.C. 4 amp (6 - 7 call, 7.2 s. 4 v. vol. NIMH) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2				` , ` , ` , ` , ` , ` , ` , ` , ` , ` ,
## #2843X \$800mAn 7-47 2-call 25C LIP battery (1)) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1 1 1 2 3-call 25C LIP battery (1) ## 2845X 4000mAn 1	2992	* * **		
#25494. # #254			8023	
Battery/charger completer pack (includes #2972 Dual IDIOs charger (f), #28987 700mh 7-14 Z-ceal 250 LiPo battery (250 LiPo batter) (250 Li	2994			Shock Oil
charger (1), #288X 7690m/h 7.4V 2-cell 25C LiPo battery (2)) 28	2991	• · · · ·		Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
Charger, D.C. Asmy B. 7 cell. 7.2 v. 4 volt, Nillery, 2972 Charger, EZ-Peakb Live Dual, 200W, NiMH-ILPO with IDe Auto Battery 1973 Charger, EZ-Peakb Live Dual, 200W, NiMH-ILPO with IDe Auto Battery 1974 Charger, EZ-Peakb Live, 100W, NiMH-ILPO with IDe Auto Battery 1975 Charger, EZ-Peakb Live, 100W, NiMH-ILPO with IDe Auto Battery 1976 Charger, EZ-Peakb Dive, 4 amp, NiMH-ILPO with IDe Auto Battery 1976 Charger, EZ-Peakb Dive, 4 amp, NiMH-ILPO with IDe Auto 1977 Experiment Company of the Company of	2001			
Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indinification Strey (Indentification Strey (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, EZ-PaskD Live, 100W, NiMH/LiPo with 109 Auto Battery (Indentification Charger, Indentification Cha				
Identification Battery Identification Ba				
Battery Identification Charger, E2-Peaks Plus, 4 amp, NiMH/LiPo with ID® Auto Battery Identification Battery Ident	2312			
Charger, EZ-Peake Plus, 4 amp, NIMHILPo with IDE Auto Battery Identification Charger, EZ-Peake Plus, 4 amp, NIMHILPo with IDE Auto Service Charger, EZ-Pea	2973			
Identification Saltery Identification Sa	2071			· · · · · · · · · · · · · · · · · · ·
Sample S	2311			80 wt premium shock oils with spinning carousel rack)
Section Communication Ink, letemetry expander Section Se	2970			
2076 Cover plate, Traxvas Link® Wireless Module 2078 Cover plate, Traxvas Link® Wireless Module 2078 Serve set (or 2064 wheterpoof sub-micro serve) 2064 Serve set (or 2064 wheterpoof sub-micro serve) 2078 2	CEOE		5038	
Puse, charger, 5A (2) (for #2974, 2975, 2977) 20646 Gear set (for 2056 A waterproof sub-micro servo) 5286			0000	
Cear set (for 2056 waterproof sub-micro servo) 2044A Gear set, metal (for 2056 waterproof sub-micro servo) 2045A Gear set, metal (for 2056 waterproof sub-micro servo) 2046 Gear set, metal (for 2056 waterproof sub-micro servo) 2056 Gear set, metal (for 2056 waterproof sub-micro servo) 2057 Gear set, metal (for 2056 waterproof sub-micro servo) 2058 Gear set, metal (for 2056 waterproof sub-micro servo) 2058 LiPo cell votiage checker/balancer (includes #2393X adapter for Traxxa® (inc.) Die batteries) 2058 LiPo cell votiage checker/balancer (requires #2393X adapter for Traxxa® (inc.) Die batteries) 2058 LiPo cell votiage checker/balancer (requires #2393X adapter for Traxxa® (inc.) Die batteries) 2058 Mount, telemetry sepander (fits TRX-4®) 2059 Mount, telemetry sepander (fits TRX-4®) 2050 Mount, telemetry sepander (fits TRX-4®) 2051 Mount, telemetry sepander (fits TRX-4®) 2052 Mount, telemetry sepander (fits TRX-4®) 2053 Receiver, micro, Tol. 2.4CHz with telemetry & TSM (5-channel) 2053 Receiver, micro, Tol. 2.4CHz with telemetry & TSM (5-channel) 2054 Receiver, micro, Tol. 2.4CHz with telemetry & TSM (5-channel) 2055 Seak kit, appander fox (includes oring, seals, and silicone grease) 2054 Servo case, aluminum (blue-anodized) (indide) (for 2250 servo) 2055 Servo case, aluminum (blue-anodized) (indide) (for 2250 servo) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Servo case, plastic (top, middle, bottom) gaskets hardware (for 2250, 2256 servos) 2058 Se		• •		
See set (for 2058A waterproof sub-micro servo) See set set, metal (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, high speed (for 2070, 2075 servos) See set, metal, servos, metal, servos, metal, servos, metal, servos, auto-diected, servos, auto-diected, servos, servos, auto-diected, servos, auto-diected, servos, servos case, plastic (for), middle, bottom, gaskets hardware (for 2050, 2056 servos) Servo case, plastic (for), middle, bottom, gaskets hardware (for 2050, 2056 servos) Servo case, plastic (for), middle, bottom, gaskets hardware (for 2050, 2056 servos) Servo case, plastic (for 2050, servos) Servo case, plastic (for), middle, bottom, gaskets hardware (for 2050, 2056 servos) Servo case, plastic (for 2050, servos) Servo case, plastic (for 2050, servos) Servo case, glastic (for 2050, servos) Servo, digital high-torque 30d orsees, metal ger (ball bearing), waterp		•		• • • • • • • • • • • • • • • • • • • •
Sear set, metal (or 2070, 2075 serves) 2282 Gear set, metal (for 2070, 2075 serves) 2283 Gear set, metal (for 2070, 2075 serves) 2286 LiPo cell voltage checker/balancer (includes #2338X adapter for Traxxas® 109 batteries) 2286 LiPo cell voltage checker/balancer (includes #2338X adapter for Traxxas® 109 batteries) 2286 Mount, telemetry expander (fits TRX-48) 2286 Mount, telemetry expander (fits TRX-48) 2287 Mount, telemetry expander (fits TRX-48) 2288 Mount, telemetry expander (fits TRX-48) 2289 Mount, telemetry expander (fits TRX-48) 2280 Mount, telemetry expander (fits TRX-48) 2280 Mount, telemetry expander (fits TRX-48) 2281 Serve case, alterial minum (fits) 2282 Seak kit, expander box (includes o-ring, seals, and silicone gresse) 2283 Serve case, alterial minum (fits) 2284 Serve case, alterial minum (fits) 2284 Serve case, alterial minum (fits) 2285 Serve case, alterial minum (fits) 2286 Serve case, alterial minum (fits) 2286 Serve case, alterial minum (fits) 2287 Serve case, alterial minum (fits) 2288 Serve case, alterial minum (fits) 2289 Serve case, alterial minum (fits) 2291 Serve case, alterial minum (fits) 2292 Serve case, alterial minum (fits) 2293 Serve case, alterial minum (fits) 2294 Serve case, alterial minum (fits) 2295 Serve case, alterial minum (fits) 2296 Serve case, alterial minum (fits) 2296 Serve case, alterial minum (fits) 2297 Serve case, alterial minum (fits) 2298 Serve case, alterial minum (fits) 2299 Serve case, alterial minum (fits) 2290 Serve case, alterial minum (fits) 2291 Serve case, alterial minum (fits) 2292 Serve case, alterial minum (fits) 2293 Serve case, alterial minum (fits) 2294 Serve case, alterial minum (fits) 2295 Serve case, alterial minum (fits) 2296 Serve case, alterial minum (fits) 2296 Serve case, alterial minum (fits) 2297 Serve case, alterial minum (fits) 2298 Serve case, alterial minum (fits) 2299 Serve case, alterial minum (fits) 2290 Serve case, alterial minum (fits) 2290 Serve case, alterial minum (fits) 2290 Serv		,		
2252 Gear sat, metal (for 2256, 2255 servos) 2252 Gear sat, metal (for 2256, 2255 servos) 2252 LiPo cell voltage checker/balancer (includes #2393X adapter for Traxxas 10® batteries) 2253 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas 10® batteries) 2254 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas 10® batteries) 2255 Mount, temerty expander (fits TRX-48) 2256 Mount, temerty expander (fits TRX-48) 2256 Mount, temperature sensor (electric motors) wire tie! thermal pad 2257 Accepted the page of the page		·		
Gear set, metal, high speed (for 2070, 2075 servos) Septimary		·	8264	
Taxase Die batteries Taxase Die batteries LiPo cell voltage checker/balancer (requires #2938X adapter for LiPo cell vo			8274	
LiPo cell voltage checker/balancer (requires #238X adapter for Taxxase 10-b batteries) Taxxase 10-b batteries Taxxase 10-	2968X	• • • • • • • • • • • • • • • • • • • •		
Traxxase I lob batteries) Nount, telemetry expander (fits TRX-4®) Sason Aunt, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Sason Receiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Rose, alt interver and voltage (long) Sason Reseiver, micro, TOI 2.4GHz with telemetry & TSM (5-channel) Sason Rose, alt interver and voltage (long) Sason Rose,	2968	·		
Mount, telemetry expander (fits TRX-46)			0202	
spad Sace vier, micro, TGI 2.4 GHz with telemetry & TSM (5-channe) Sace vier, micro, TGI 2.4 GHz with telemetry & TSM (5-channe) Sace vier, micro, TGI 2.4 GHz with telemetry & TSM (5-channe) Sace vier, micro, TGI 2.4 GHz with telemetry & TSM (5-channe) Sace vier, with spring retainers) (2) Sace vier, with spring retainers) (2) Sace vier, micro, TGI 2.4 GHz with telemetry & TSM (5-channe) Sace vier, with spring retainers) (2) Sace vier, micro, TGI 2.4 GHz with telemetry & TSM (5-channe) Sace vier, with spring retainers) (2) Sace vier, with spring retainers) (2) Sace vier, case, aluminum (blue-anodized) (middle) (for 2255 servo) Sacro case, aluminum (red-anodized) (middle) (for 2255 servo) Sacro case gaskets (for 2065 waterproof sub-micro servo) Sacro case gaske			8263	•
Receiver, micro, TQI 2.4GHz with telemetry & TSM (5-channel)	0000			
Seal kit, explander DOX (includes 0-ring), seals, and silricone grease) Seal kit, explander DOX (includes 0-ring), seals, and silricone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (folue-anodized) (middle) (for 2250 servo) Servo case, glastic (top, middle), (for 2255 servo) 2063 Servo case/gaskets (for 2065 waterproof sub-micro servo) Servo case/gaskets (for 2065 waterproof sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof seven or recommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven or precommended for optimal performance) Servo, digital high-torrage 400 prushless, metal gear (ball bearing), waterproof seven	6533	•	8260X	
servo case plastic (top, middle, bottom)/ gaskets/ hardware (for 250, 2255 servo) servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 250, 2256, 2255 servo) servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 250, 2256, 2255 servo) servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 250, 2256, 2255 servo) servo case/gaskets (for 2065 waterproof sub-micro servo) servo. 2063A Servo case/gaskets (for 2065 waterproof sub-micro servo) servo. 2063A Servo case/gaskets (for 2065 waterproof sub-micro servo) servo. 2063C Servo case/gaskets (for 2065 waterproof, sub-micro servo) servo. 2250 Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque dob brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque dob brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 20804S Servo, sub-m	6552	· •	8260A	· · · · · · · · · · · · · · · · · · ·
Sensor, auto-detectable, voltage Servo case, aluminum (biue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, satus (top, middle, bottom/) gaskets/ hardway (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproo	6526	· · · ·		retainers) (2)
Sensor, temperature and voltage (long) 2254 Servo case, aluminum (lotage uniminum (lotage		· · · · · · · · · · · · · · · · · · ·	8260G	
2253 Servo case, aluminum (blue-anodized) (middle) (for 2255 servo) 2251 Servo case, plastic (top, middle), bottomly gaskets/ hardware (for 2250, 2255 servos) 2063 Servo case/gaskets (for 2065 waterproof sub-micro servo) 2063X Servo case/gaskets (for 2065 waterproof, sub-micro servo) 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275X Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC an			8260R	. •
Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065 waterproof sub-micro servo) Servo digital high-speed, metal gear, (ball bearing), waterproof (#2250 servon, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2252 setronal BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2252 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof				
Servo case/gaskets (for 2065 waterproof sub-micro servo) 2063A Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2256 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof 2275 Servo, sub-micro, waterproof 2276 Servo, sub-micro, waterproof 2276 Servo, sub-micro, waterproof 2277 Servo, sub-micro, waterproof 2278 Servo, sub-micro, waterproof 2279 Servo, sub-micro, waterproof 2270 Servo, sub-micro, waterproof 2270 Servo, sub-micro, waterproof			8260	
2063A Servo case/gaskets (for 2065A waterproof sub-micro servo) 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2265 Servo, sub-micro, waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2265 Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2265 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2265 Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2275 Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2286 Servo, sub-micro, waterproof metal gear 2286 Servo, sub-micro, waterproof metal gear 2287 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) 2287 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) 2288 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) 2289 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) 2280 Springs, shock		2250, 2255 servos)		
Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) 2075R 2250 Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, sub-micro, waterproof, metal gear 2065A Servo, sub-micro, waterproof, metal gear 2065SX Servo, sub-micro, waterproof, metal gear 2065SX Telemetry expander 2.0 and GPS module 2.0, TQi radio system (for use only with #8551X GPS module) 2057X Telemetry expander 2.0, TQi radio system (for use only with #8555X telemetry expander) 2065X Tolemetry expander 2.0, TQi radio system (for use only with #8555X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #8555X telemetry expander 2.0, TQi radio system (for use only with #8555X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #8555X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #855X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #855X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #855X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #855X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #855X telemetry expander) 2075X Telemetry expander 2.0, TQi radio system (for use only with #855X telemetry expander) 2075X Telemetry expander 2.0, TQi radio sys				,
Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Telemetry expander 2.0, and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Traxxas Link™ Wireless Module Y-harness, BEC Real 12-T O-Riace Mole Springs, shock (natural finish) (GTS) (0.39 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, vellow stripe) (2) Springs, shock (natural finish		• • • • • • • • • • • • • • • • • • • •		
Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #3247X metal servo horn recommended for optimal performance) 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof servo horn recommended for optimal performance) 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof servo, sub-micro, waterproof, metal gear (ball bearing), waterproof servo, sub-micro, waterproof, metal gear (ball bearing), waterproof servo, sub-micro, waterproof, metal gear (ball bearing), waterproof servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof servo, digital high-torque, white stripe) (2) Springs, shock (natural finish) (GTS) (0.35 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green				(1)/ spring washers (4), metal washer (1))
waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear Telemetry expander 2.0 and GPS module 2.0, TQi radio system #6551X Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507C TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6508C Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6511 Traxxas Link™ Wireless Module 7-harness, BEC REALLY-TO-FRICE NOTE BOdy: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 8042 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) 8044 Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) 8045 Springs, shock (natural finish) (GTS) (0.45 rate), (2) 8046 Springs, shock (natural finish) (GTS) (0.45 rate), (2) 8047 Springs, shock (natural finish) (GTS) (0.45 rate), (2) 8048 Springs, shock (natural finish) (GTS) (0.45 rate), (2) 8049 Springs, shock (natural finish) (GTS) (0.45 rate), (2) 8040 Springs, shock (natural finish) (GTS) (0.45 rate), (2) 8041 Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) 8042 Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) 8045 Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) 8046 Sqr. 10-T pinion (32-p), heavy duty (machined, hardened steel)/ 8042 Serve,			8249	
Procommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof servo horn recommended for optimal performance) 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof servo, sub-micro, waterproof servo, sub-micro, waterproof servo	2250			Springs
bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof 2065A Servo, sub-micro, waterproof 2065X Servo, sub-micro, waterproof, metal gear 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6500R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6541 Traxsas Link™ Wireless Module 2261 Y-harness, BEC 8044 Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange tripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange tripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange tripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange tripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange tripe) (2) Springs, shock (natural finish) (GTS) (0.64 rate, orange tripe) (2) Springs				
servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear Servo, sub-micro, waterproof, metal gear Telemetry expander 2.0 and GPS module 2.0, TQi radio system #6551X GPS module Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Transmitter, TQi Traxxas Link™ wireless Module Y-harness, BEC TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled Servo, sub-micro, waterproof Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural	2255			
Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear Servo, sub-micro, waterproof, metal gear Telemetry expander 2.0 and GPS module 2.0, TQi radio system #6551X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) Felemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X				
Servo, sub-micro, waterproof, metal gear Telemetry expander 2.0 and GPS module 2.0, TQi radio system #6551X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Femetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) Fig. 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) Fig. 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Fig. 30 Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) Fig. 30 Traxxas Link™ enabled, TSM (4-ch transmitter, 5-ch micro receiver) Fig. 30 Traxxas Link™ wireless Module Traxxas Lin	2075X		8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
Telemetry expander 2.0 and GPS module 2.0, TQi radio system feb550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6555X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link™ Wireless Module Traxxas Link™ Wireless Module Thaxas Link™ Wireless Module			8045	1 0 / / / / / / / / / / / / / / / / / /
Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Traxsas Link™ Wireless Module Traxxas L				Spur Gears & Pinion Gears
#6551X GPS module) 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6507 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6511 Traxxas Link™ Wireless Module 7-harness, BEC FGatly-10-16C6 Model 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled		• •		
#6550X telemetry expander) 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 6508 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6530 Traxsas Link™ Wireless Module 7509 Traxxas Link™ Wireless Module 7500 Tra		#6551X GPS module)		
TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxsas Link™ Wireless Module Y-harness, BEC TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Sqax, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 394X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	6551X	• • • • • • • • • • • • • • • • • • • •	0072A	
Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link™ Wireless Module Traxxas Link™ Wireless Module Y-harness, BEC TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled Set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw	6509R	· · · · · · · · · · · · · · · · · · ·	3943X	
Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) 53945X Set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw		Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	3944¥	
Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) 6531 Traxxas Link™ Wireless Module 2261 Y-harness, BEC 178X-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/set screw 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/set screw 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/set screw 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/set screw 3948X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/set screw	6507R		J344A	
Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4- channel (transmitter only) Traxxas Link™ Wireless Module 2261 Y-harness, BEC TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled Traxxas Link™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled Set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/			3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/
Traxxas Link™ Wireless Module Y-harness, BEC Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ Set screw	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	20.463	
3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 3948X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/	CE44	•	3946X	
set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ Set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/			3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/
82056-4 TRX-4® Scale and Trail™ Crawler with Land Rover® Defender® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/		·	2040	
Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/	82056-4	_	J340A	
2.4GHz Radio System set screw		Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/
		2.4GHz Radio System		set screw

Page 6	TRX-4® Scale and Trail™ Crawler: TQi Traxxas Li	nk Enabl	ed 2.4GHz Radio (Model 82056-4) Parts List
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8166	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8177	(requires #8255A extended stub axle) Tires and wheels, assembled, glued (1.9" chrome wheels,
6745	Gear, 9-T pinion (32-p) (steel)/ set screw		Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
8279	Ring gear, differential/pinion gear, differential	8183X	(requires #8255A extended stub axle) Tires and wheels, assembled, glued (1.9" classic chrome wheels,
8052 8053	Spur gear, 39-tooth (32-pitch)	01037	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A
6033	Spur gear, 45-tooth (32-pitch)		extended stub axie)
	Steering Components	8182	Tires and wheels, assembled, glued (Method 105 1.9" black
8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)		chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires,
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right		foam inserts) (1 left, 1 right)
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right	8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	0070	wheels, Canyon Trail 4.6x1.9" tires) (2)
2072X	Gear set, metal (for 2070, 2075 servos)	8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
8274 5355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	0101	Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm Lift Kit)
0075	adjustment shims; 3.5mm (2), 1.17mm (2)	8270	Tires, Cany on Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TRX-4
8276	Rod ends (10)		Long-Arm Lift Kit)
8277	Rod ends, angled 10-degrees (8)	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
8278	Rod ends, offset (4)		screw pin (4)
8247X	Serv o horn, steering, metal/ 3x14 BCS (1)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	00000	anodized) (4)/ screw pin (4)
2075X	Serv o, digital high-torque, metal gear (ball bearing), waterproof	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
	captured (4)	0203K	screw pin (4)
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8243	Suspension link, front, 5x100mm (lower) (steel) (2)		#8255A extended stub axle)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)		rings sold separately)
	Suspension Linkage	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		rings sold separately)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
	adjustment shims; 3.5mm (2), 1.17mm (2)	0474 A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
0070	(4))	8268	Wheels, Tactical 1.9 (2)
8276	Rod ends (10)	8271	Wheels, TRX-4® 1.9 (2)
8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8278	Rod ends, offset (4)		Transmission Components
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8283	Cable, T-lock (front)
0020	captured (4)	8284	Cable, T-lock (roll)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	8289	Driv e hub, 2-speed/ shift dog/ shift fork/2-speed linkage
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	02007	output gear, 2x9.8 pins (5))
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8291	Gearbox housing (includes main housing, front housing, & cover)
	Team Traxxas Items	8285	Gears, transfer case (3)
2514	Decal sheet, racing sponsors	5041	Grease, premium high performance (20cc)
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	8292	Input shaft/ output shaft (transmission)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
9909	Traxxas® racing banner, red & black (3x7 feet)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
	Tires & Wheels	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
		8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screwpin (1)/ cross pin (black)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)		(1) 3x6 BCS with threadlock (1))
8169X 8168X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8294	Output gear, high range, 24T (metal)
8169G	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)	8286	Output shafts (transfer case), front & rear
8168G	Beadlock rings, green (1.3) (aluminum) (4)/ 2x10 CS (40)	8290	Plate, motor/ upper spur gear cover
8168A	Beadlock rings, groon (2:2") (aluminum) (4)/ 2x10 CS (48)	8249	Slipper eliminator plate
8169R	Beadlock rings, orange (2.2) (aluminum) (4)/ 2x10 CS (48)	8296	Transmission gears, single speed, metal
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)		Traxxas Tools
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	2422V	
8168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)	3433X	Body reamer (aluminum handle)
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	3433 3436	Body reamer (plastic handle) Cap, body reamer
	extended stub axle)	3432	Scissors, curved tip
8174	Tires and wheels, assembled (Method 105 1.9" black chrome	3432 3431	Scissors, curved tip Scissors, straight tip
	beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
04=0	left, 1 right)	U. 12	premium handle (medium), travel pouch, hex drivers (straight:
8172	Tires and wheels, assembled (Method 105 2.2" black chrome		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)		and 8.0mm), 1/4" drive
8166X	Tires and wheels, assembled, glued (1.9" chrome wheels,	8721	Speed bit handle, medium (one piece)
	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet	8720	Speed bit handle, premium, large (rubber overmold)
	(requires #8255A extended stub axle)	8722	Speed bit handle, premium, medium (rubber overmold)

Page 7 TRX-4® Scale and Trail™ Crawler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82056-4) Parts List

8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
	TRX-4® Traxx ™

	Ina-4® Itaxx
8889	Bearing retainers, inner (2), outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx™, front, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8882	Traxx™, front, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8883	Traxx™, rear, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
8884	Traxx™, rear, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
8880	Traxx™, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx™ (front, left or right) (rubber) (1)
8896	Treads, All-Terrain, TRX-4® Traxx™ (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM