

TRX-4® Mercedes-Benz® G 500® 4X4² (Model 82096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet Blazer)
3241	Axle housing, front	8090	LED light set, complete with power supply (contains headlight
3242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		tail lights, side marker lights, & distribution block) (fits #9111 o
227	Axle mount set (complete) (front & rear) (for suspension links)	0440	9112 body) Bardy, Observated Blazer (1989, 1970) (class services a single s)
228	Axle shaft, front (left)/ drive pin/ cross pin	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting) (includes grille, side mirrors, door handles, windshield wipers.
229	Axle shaft, front (right)/ drive pin/ cross pin		decals, window masks)
060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill,
	portal drive input gear)	J112A	side mirrors, door handles, windshield wipers, front & rear
062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear		bumpers, decals)
230	(machined) (2) (assembled) Axle shaft, rear (left)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mn
231	Axle shaft, rear (right)		drill bit (fits #9126 or #9127 front bumpers)
061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	9127	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
	rear (machined)	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
	drive input gear)	6593	Distribution block, Pro Scale® Advanced Lighting Control
233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		System
256	Portal drive axle mount, rear (left & right)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
	(left and right)/ 2.5x16 CS (4)	0400	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
56A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
	anodized) (left and right)/ 2.5x16 CS (4)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/ hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
56G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
	anodized) (left and right)/ 2.5x16 CS (4)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	5110	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
	(left and right)/ 2.5x16 CS (4)		(self-tapping) (8)
252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (1
253	Portal drive housing, inner, rear (left or right) (2)		#9112 body)
51	Portal drive housing, outer (front or rear) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
64	Portal drive input gear, front (machined) (left or right) (requires	6591	Pro Scale® Advanced Lighting Control System (includes pow
57	#8060 front axle shaft)		module & distribution block)
257	Portal drive input gear, front/ drive pin/ cross pin	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6
259	Portal drive input gear, rear		BCS (self-tapping) (4)
065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)		Body (1972 Chevrolet Blazer)
258	Portal drive output gear, front or rear	8090	LED light set, complete with power supply (contains headligh
		0090	tail lights, side marker lights, & distribution block) (fits #9111 d
252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)		9112 body)
252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (include
	anodized) (2)/ 3x12 BCS (2)		grille, side mirrors, side trim, door handles, windshield wipers
252G	Portal housings, inner (front), 6061-T6 aluminum (green-		decals, window masks)
	anodized) (2)/ 3x12 BCS (2)	9111X	Body, Chevrolet Blazer (1972), complete (blue) (includes grille
252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)		side mirrors, door handles, windshield wipers, front & rear
	(2)/ 3x12 BCS (2)		bumpers, decals)
253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mn
	(2)/ 2.5x10 CS (2)	0400	drill bit (fits #9126 or #9127 front bumpers)
253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)
	anodized) (2)/ 2.5x10 CS (2)	0404	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
	anodized) (2)/ 2.5x10 CS (2)	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
	(2)/ 2.5x10 CS (2)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)	5110	wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
131A	anodized) (2)/ 2.5x10 CS (12)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	0.20	housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
	$2.5 \times 10 \text{ CS}$ (12)		body)
251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	2.5x10 CS (12)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
255A	Stub axle, extended (portal drive) (2)		(self-tapping) (8)
267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (f
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)		#9111 body)
	Bearings & Bushings	6592	Power module, Pro Scale® Advanced Lighting Control System
110.4		6591	Pro Scale® Advanced Lighting Control System (includes power
119A	Ball bearings, black rubber sealed (10x15x4mm) (2)		module & distribution block)
120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper
104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS
115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	0440	(self-tapping) (5) (fits #9111 body)
116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/
114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		2.6x8 BCS (self-tapping) (4)
117A	Ball bearings, black rubber sealed (6x12x4mm) (2)		Body (1979 Chevrolet Blazer)
180A 103A	Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2)	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ windo

Page 2 TRX-4® Mercedes-Benz® G 500® 4X4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

Page 2	IRA-4® mercedes-Benz® G 500® 4A4-: IQI Iraxxa	5
8130X	Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	80 80
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	80
8131	Decal sheet, Chevrolet Blazer (1979)	80
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8(8(
8132	Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)	80
8134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)	88
8039	LED light set (contains headlights, tail lights, side marker lights,	
8038	distribution block (fits #8130 body, requires #8028 power supply) LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power	88 88
8133X	supply) (fits #8130 body) Mirrors, side (folding) (fits #8130 body)	00
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits	88
	#8130 body)	6
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power	88
8135	module & distribution block) Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)	88
	(fits #8130 body)	
	Body (1979 Ford Bronco)	
8010	Body, Ford Bronco (1979) (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2)	88
8010X	Body, Ford Bronco (1979), complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and	88
	sunset decals) (requires #8072 inner fenders)	_
8078R 6593	Decal sheet, Bronco, red (fits #8010 body) Distribution block, Pro Scale® Advanced Lighting Control	88
8075	System Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)	6! 6!
8070	Grille, Ford Bronco/grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)	88
8036	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power	88
8035	supply) LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)	88 88
8037 8073	LED lights, high/low switch (for #8035 or #8036 LED light kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 body)	82
8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 body)	80
6592	Power module, Pro Scale® Advanced Lighting Control System	80 80
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	80
8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)	80
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware	8′
8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body)	8
8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)	8,
	Body (Land Rover® Defender®)	·
8011	Body, Land Rover® Defender® (clear, trimmed, requires painting)/ window masks/ decal sheet	81 61
8011A	Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)	8,
8011T	Body, Land Rover® Defender®, blue (painted)/ decals	
8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals	
8011R	Body, Land Rover® Defender®, red (painted)/ decals	8
8012	Decals, Land Rover® Defender®	8′
8016 8019	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body) Fender brace, inner, front & rear	8(
8019	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)	80
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	
8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight	80
8027	housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)	80

-	···· , ··· , ···
8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
8029	LED light bar kit (Rigid®)/power supply, TRX-4®
8030	LED light set, complete (contains rock light kit, LED light bar
	(Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire
8020	harness) (fits #8011 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
0020	#8011 body)
8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
8021	Spare tire mount/ mounting bracket/ screw pins (2)
8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011
	body)
	Body (Mercedes-Benz® G 500®)
8811	Body, Mercedes-Benz® G 500® 4x4 ² (clear, requires painting)/
	decals/ window masks (includes rear body post, grille, side
8811R	mirrors, door handles, & windshield wipers) Body, Mercedes-Benz® G 500® 4x4 ² , complete (black) (includes rear
001111	body post, grille, side mirrors, door handles, & windshield wipers)
8811X	Body, Mercedes-Benz® G 500® 4x4², complete (blue) (includes rear
	body post, grille, side mirrors, door handles, & windshield wipers)
8812	Decals, Mercedes-Benz® G 500® 4x4 ²
6593	Distribution block, Pro Scale® Advanced Lighting Control
8813X	System Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/
001070	headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/
	bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/
	turn signal housing retainer (2)/ turn signal len
8893	Installation kit, Pro Scale® Advanced Lighting Control System,
	TRX-4® Mercedes-Benz® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light & fog light harnesses,
	hardware)
8899	LED light set (contains headlights, tail lights, roof lights, and
	distribution block) (fits #8811 or #8825 body, requires #8028
0000	power supply)
8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or #8825
	body)
8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left,
	right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-
6592	tapping) (3) Power module, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power
	module & distribution block)
8822	Roof visor/visor retainer/visor lens (2)/2.6x6 BCS (3)/3x4 GS (4)
8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-
8815X	tapping) (2) Side trim, left & right (black)/ side trim retainers (8)/ door handles, left,
00137	right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42)
8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/
	reverse lens (2)/ 1.6x5 BCS (4) (left & right)
	Body (Tactical Unit)
8211X	Body, Tactical Unit, night camo (painted)/ decals
8019	Fender brace, inner, front & rear
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
8021	Spare tire mount/ mounting bracket/ screw pins (2)
	Body (TRX-4® Sport)
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires
	painting)/ window masks/ decal sheet
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,
	requires painting)/ window masks/ decal sheet
8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8113	Decal sheet, TRX-4® Sport
6593	Distribution block, Pro Scale® Advanced Lighting Control
	System
8120X	Expedition rack, complete (includes traction boards, shovel, axe,
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
8120	Expedition rack/ mounting hardware (fits #8111 or #8111R body)
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits
	#8111 or #8112 body)
8086	LED expedition rack scene light kit (fits #8111 body, requires
0004	#8028 power supply)
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
8088	LED light bar, front bumper (fits #8124 front bumper, requires
	#8028 power supply)
8087	LED light bar, roof lights (fits #8111 body, requires #8028 power
	supply)

Page 3 TRX-4® Mercedes-Benz® G 500® 4X42: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

Page 3	TRX-4® Mercedes-Benz® G 500® 4X4 ² : TQi Traxxa	s Li
8085	LED light set, complete with power supply (contains headlights,	
8119	tail lights, & distribution block) (fits #8111 or #8112 body) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	828 828
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power	828 828
8122	module & distribution block) Shovel/ axe/ accessory mount/ mounting hardware	828 819
8118	Spare tire mount/ mounting hardware	
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	828 829
8121X 8121G	Traction boards, blue/ mounting hardware Traction boards, green/ mounting hardware	020
8121A	Traction boards, yellow/ mounting hardware	827
8121	Traction boards/ mounting hardware	827 827
	Body Accessories	828
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	828
1834	Body clips (12) (standard size)	020
1834A	Body clips, black (12) (standard size)	829
3934	Body clips, heavy duty (12)	
3934A 8215	Body clips, heavy duty (black) (12) Body mounts & posts, front & rear (complete set)	825
8115	Body posts, front & rear	825
4915	Body washers, foam adhesive (10)	826
2514 8081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	826
8080	narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	826
8072	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	826
0050	plate/ 3x8 flat-head screws (4)	826
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color) Bumpers & Skidplates	
8234	Bumper D-Rings, gray (front or rear)/ 2x12 CS (4)	
8234 8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	155
8067	Bumper mounts, front & rear	183
8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)	183
8237 8124	Bumper mounts, front & rear/ screw pins (4) Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	393 393
8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	816
8235	Bumper, front/ winch	
8236 8125	Bumper, rear Bumper, rear (176mm wide)	829
8136	Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)	815
8820	Bumpers, front & rear	
8821 8238	Skid plate/ 3x10 CCS (4)	547 364
8238	Skidplate/ lower gear cover	364 834
8215	Chassis & Attachments Body mounts & posts, front & rear (complete set)	174
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	174
	BCS (5)/ 2.5x8 CS (2)	174 174
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))	174 198
8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	822 322
	shock towers, long female half shaft)	252
8220 8818	Chassis rails, 448mm (steel) (left & right) Exhaust pipes (left & right)	323 261
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	321
8080	narrow inner fenders) Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	261 396
8072	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	252 829
	plate/ 3x8 flat-head screws (4)	816
8218 8224X	Floor pans, left & right Receiver box cover (for use only with #8224 receiver box &	256 257
02247	#2260 BEC)/ foam pads/ seals/ silicone grease	485
8819	Rock sliders/ rock slider caps (left & right)	257
8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	257
8240X	Serv o mount, 2-speed/ serv o mount, T-Lock/ wire clips	259 258
8239	Serv o mount, steering/ chassis crossmember	261
8216 8226	Shock towers, front & rear (left & right) Tray, battery	258
0220		257 393
		257

	Differential Components
8281	Carrier, differential/ differential slider/ T-Lock fork
8280A	Differential cover, front or rear (black)
8280X	Differential cover, front or rear (chrome-plated)
8280	Differential cover, front or rear (gray)
8280R 8195	Differential cover, front or rear (red) Differential, locking, front and rear (assembled) (includes T-Lock
8282	Cables and servo) Gear set, differential (output gears (2), spider gears (4), spider gear
8295	Shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive, machined)
8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
8297	Spool/ differential housing plug/ e-clip
	Driveline Components
8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A	Stub axle, extended (portal drive) (2)
8269 8269X	Wheel hubs, 12mm hex, (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
	screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
	Hardware
1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
1834	Body clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934 3934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless
0000	steel hardware for 4 wheels)
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
3647 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, 4mm flanged ny lon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8221	Screw pin, 3x10mm (6)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
3236 2618	Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (b)
2617	Screws, 2.5x8mm button-head machine (hex drive)(6)
3965	Screws, 2.5x8mm cap-head machine (6)
2524 8299	Screws, 2.5x8mm countersunk machine (hex drive) (6) Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8299 8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (0)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578 2579	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2616	Screws, 3x27mm button-head machine (hex drive) (6)
2582 2575	Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)

Page 4 TRX-4® Mercedes-Benz® G 500® 4X4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

Page 4	TRX-4® Mercedes-Benz® G 500® 4X44: TQI Traxxa	13
	LED Light Accessories	8
8031	3-in-1 wire harness, LED light kit	
8089	4-in-2 wire harness, LED light kit	8
6589	Distribution block, LED light set	Ŭ
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire	
8026X	harness LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply	8
00207	and #8018, #8072, or #8080 inner fenders)	8
	Long Arm Lift Kit	8
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	
	with #8140X TRX-4® Long Arm Lift Kit)	8
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)	8
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	
0440	TRX-4® Long Arm Lift Kit)	1
8148 8147	Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	1
8150	Driveshaft extension kit, center (includes internal splined, x-long	2 2
	(2), internal splined, long (1) and internal splined, medium (1))	2
8140	(for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete	2
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder	2
•••••	coated links, blue-anodized shocks)	2
8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder	8
8149	coated links, red-anodized shocks)	8
0149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)	8
8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	8
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	3 8
8160X	with TRX-4® Long Arm Lift Kit)	2
010UX	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without	2
	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	
8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)	2
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white	2
	stripe) (for use with TRX-4® Long Arm Lift Kit)	
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)	5
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included	2
	with TRX-4® Long Arm Lift Kit)	2
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)	2
	(for use with TRX-4® Long Arm Lift Kit)	
8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow	2
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2
8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link,	2
	5x63mm (red powder coated steel) (assembled with hollow balls)	3
8144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated	
01447	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	2
	Long Arm Lift Kit)	
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated	6
	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	8
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with	
	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled	6
8143X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coated	e
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	-
	Long Arm Lift Kit)	
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	ε
	Long Arm Lift Kit)	
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled	8
	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8
	Long Arm Lift Kit)	8
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated	8
	steel) (assembled with hollow balls) (for use with #8140R TRX-4 $\ensuremath{\mathbb{R}}$	8
	Long Arm Lift Kit)	8
	· · · · ·	
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled	8
	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8
8142 8142X		

as Link E	nabled 2.4GHz Radio (Model 82096-4) Parts List
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8172	Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1
8181	left, 1 right) Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)
8180	Wheels, TRX-4® Sport 2.2 (2)
	Motors & Electronics
1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ v iny l antenna cap (1)/ wire retainer (1)
2262	BEC, complete (includes receiver box cover and seals)
2064	Gear set (for 2065 waterproof sub-micro servo)
2064A	Gear set (for 2065A waterproof sub-micro servo)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8290	Plate, motor/ upper spur gear cov er
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2063	Serv o case/gaskets (for 2065 waterproof sub-micro serv o)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
5669	Serv o horn (with built-in spring and hardware) (for Summit locking differential)
2075R 2250 2255	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball
2255	bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065A	Servo, sub-micro, waterproof
2065X	Servo, sub-micro, waterproof, metal gear
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
2261	Y-harness, BEC
6593	D Scale® Advanced Lighting Control System Distribution block, Pro Scale® Advanced Lighting Control System
8893	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes-Benz® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light & fog light harnesses,
	hardware)
6592	Power module, Pro Scale® Advanced Lighting Control System
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	Pro Scale® Winch & Accessories
8868	Bumper, front/ aluminum fairlead (winch)/ 2.5x10 CS (6) (fits TRX-4® Mercedes-Benz® G 500® and G 63® with 8855 winch)
8859	Fairlead, winch
8862	Gearmotor, winch
8863	Hook, winch (steel)
8858	Housings (front & rear), winch/ decal
8864X	Line, winch (blue)
8864	Line, winch (gray)
8864R	Line, winch (red)
8860	Spool shaft assembly, winch
8861	Spool, winch
8855	Winch kit with wireless controller, TRX-4
8856	Winch TDY 40 (requires #0057 winclose remote)
0000	Winch, TRX-4® (requires #8857 wireless remote)

Page 5 TRX-4® Mercedes-Benz® G 500® 4X42: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

Fage 5	TRA-46 Mercedes-Benzo G 5006 4A4 : Tor Traxa	
	Radio System, Batteries & Chargers	6550X
2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery	6551X
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery	
2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery	6509R
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery	6507R
2976	AC to DC converter, 40W	
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries	0500
1726	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6530
2943	Battery charge indicators (green (4), blue (4), gray (4))	6511
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	2261
	6530 transmitters)	
8222	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)	82096-
2914 2923X	Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))	8120X
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	8022T
0004	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8022R
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8022
2991	Battery/charger completer pack (includes #2972 Dual iD®	8022X 8022A
	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))	8023T
2262	BEC, complete (includes receiver box cover and seals)	8023
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8122
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	8121X
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	8121G 8121A
	Battery Identification	8121
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	5031 5032
6525	Communication link, telemetry expander	5033
6512	Cover plate, Traxxas Link™ Wireless Module	5034
2978 2064	Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065 waterproof sub-micro serv o)	5035
2064A	Gear set (for 2065A waterproof sub-micro servo)	5036 5037
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)	5029
2072X	Gear set, metal (for 2070, 2075 servos)	5038X
2252 2072R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos)	1667
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5038
	Traxxas® iD® batteries)	3030
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8266
6564	Traxxas® iD® batteries)	8266X
6561 6535	Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal	8266A
	pad	8266G
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	8266R
6552	Seal kit, expander box (includes o-ring, seals, and silicone	8264
6526	grease) Sensor, auto-detectable, temperature	8274
6527	Sensor, auto-detectable, voltage	5475
6521	Sensor, temperature and voltage (long)	8261
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	8262
2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	8263
2231	2250, 2255 servos)	8263T
2063	Serv o case/gaskets (for 2065 waterproof sub-micro serv o)	8260X
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	8260A
2075R	servo) Servo, digital high-speed, metal gear (ball bearing), waterproof	8260G
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	
	waterproof (#2262 external BEC and #8247X metal servo horn	8260R
2255	recommended for optimal performance)	8260
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo	5200
	horn recommended for optimal performance)	0000
2075X	Serv o, digital high-torque, metal gear (ball bearing), waterproof	8292 8286
2065A	Servo, sub-micro, waterproof	8254
2065X 6553X	Servo, sub-micro, waterproof, metal gear Telemetry expander 2.0 and GPS module 2.0, TQi radio system	
		8249

s LINK EN	abled 2.4GHz Radio (Model 82096-4) Parts List
6550X	Telemetry expander 2.0, TQi radio system (for use only with
	#6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas
6507R	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro
6530	receiver) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
0544	channel (transmitter only)
6511 2261	Traxxas Link™ Wireless Module Y-harness, BEC
	Ready-To-Race Model
82096-4	TRX-4® Scale and Trail [™] Crawler with Mercedes-Benz® G 500® 4x4 ² Body: 1/10 Scale 4WD Electric Trail Truck. Ready-to-Driv e® with TQI Traxxas Link [™] Enabled 2.4GHz Radio System, XL-5 HV
	ESC (fwd/rev), and Titan® 550 motor.
	Scale Details
8120X	Expedition rack, complete (includes traction boards, shovel, axe,
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
8022 8022X	Fuel canisters (red) (2)/ 3x8 FCS (1)
8022A	Fuel canisters (white) (2)/ 3x8 FCS (1) Fuel canisters (yellow) (2)/ 3x8 FCS (1)
8023T	Jack (black) (1)/ 2x8 BCS (1)
8023	Jack (red) (1)/ 2x8 BCS (1)
8122	Shovel/ axe/ accessory mount/ mounting hardware
8121X	Traction boards, blue/ mounting hardware
8121G 8121A	Traction boards, green/ mounting hardware Traction boards, yellow/ mounting hardware
8121	Traction boards/ mounting hardware
	Shock Oil
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 5036	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack
	Shocks (GTS)
8266	Body, GTS shock (aluminum, silver-anodized) (1)
8266X 8266A	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1)
8266G	Body, GTS shock, aluminum (green-anodized) (1)
8266R	Body, GTS shock, aluminum (red-anodized) (1)
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5475 8261	Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8)
8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
8263	Shock shaft, 3x47mm (GTS) (2)
8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
8260G	Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring
8260	retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
	Slipper Clutch Components
8292	Input shaft/ output shaft (transmission)
8286	Output shafts (transfer case), front & rear
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
8240	(1)/ spring washers (4), metal washer (1))
8249	Slipper eliminator plate

Page 6 TRX-4® Mercedes-Benz® G 500® 4X4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2 Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Sull (Case 13 - 2) (steel) set screw Gear, 10 - T pinion (32-p) (steel) set screw Gear, 13 - T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 15 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 16 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 19 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 20 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 22 - T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 23 - T pinion (32-p) (steel) set screw Spur gear, 35-tooth (32-pitch) Spur gear, 35-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (chanoolized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gast screw (2), 10707, 2075 servos) Hollow ball set, complete, TX44 (aluminum, P	Page 6	TRX-4® Mercedes-Benz® G 500® 4X4 ² : TQi Traxx
 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate), green stripe) (2) Set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p) (steel) / set screw Gear, 21-T pinion (32-p) (steel) / set screw Gear, 21-T pinion (32-p) (steel) / set screw Gear, 31-T pinion (32-p) (steel) / set screw Gear, 21-T pinion (32-p) (steel) / set screw		Snrings
 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Ser screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 5-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 5-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 5-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 5-T pinion (32-p), heavy duty (machined, hardened steel) set screw	2042	
 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2 Springs, shock (natural finish) (GTS) (0.45 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, plue stripe) (2) Gear, 10-T pinion (32-p), leavy duty (machined, hardened steel)) set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 23-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 23-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 23-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 23-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 24-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 24-F otolock, 6061-F6 aluminum (red-anodized), left and right Caster blocks, 6061-F6 aluminum (red-anodized), left and right Caster blocks, 6061-	8042 8043	
 Springs, shock (natural finish) (GTS) (0.45 rate, (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Set screw Gear, 10-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 51-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 51-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 51-T pinion (32-p) (steel)/ set screw Spur gear, 34-toh (32-pitch) Stcering Link, 52(p) (steel)/ set screw Spur gear, 34-toh (32-pitch) Stcering Link, 52(p) (steel)/ set screw Spur gear, 34-toh (32-pitch) Stcering Link, 54(61-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (screen -anodized), left and right Caster blocks, 6061-T6 aluminum (screen -anodized), left and right		
 40 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) 45 Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) 46 Gear, 10-T pinion (32-p) (steel)/ set screw 47 Gear, 11-T pinion (32-p) (steel)/ set screw 48 Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 40 Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 414 Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 425 Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 426 Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 427 Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 428 Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 439 Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 430 Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 432 Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 433 Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 444 Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 452 Gear, 22-T pinion (32-p) (steel)/ set screw 453 Gear, 50-T pinion (32-p) (steel)/ set screw 454 Gear f - 10 (20 C) (20 Serves) 454 Caster blocks (soft-16 aluminum (blue-anodized), left and right 455 Caster blocks (soft-16 aluminum (blue-anodized), left and right 456 Caster blocks (soft-16 aluminum (blue) 457 Caster blocks (soft-16 aluminum (blue) 458 Caster blocks (soft-16 aluminum (blue) 459 Caster blocks (soft-16 aluminum (blue) 450 Caster blocks (soft-16 aluminum (blue) 450 Caster blocks (soft-16 alumi	3044 3041	
 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Gear, 10-T pinion (32-p) (steel)/ set screw Gear, 11-T pinion (32-p), (heavy duty (machined, hardened steel)), set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 34-stooth (32-pitch) Steering Link, screw Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 alumin		
Spur Gears 8. Pinion Gears 46 Gear, 10-T pinion (32-p) (steel)' set screw 42X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel); set screw 43X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel); set screw 44X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel); set screw 45X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel); set screw 46X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel); set screw 47X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel); set screw 48X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel); set screw 48X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel); set screw 50X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 52 Spur gear, 39-tooth (32-pitch) 53 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right 53 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right 54 Gear set, metal (70 207, 2075 servos) 74 Hollow ball set, complete, TRX-40 (aluminum, PTFE-coated) 75 <td></td> <td></td>		
 Gear, 10-T pinion (32-p) (steel)/ set screw Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 9-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Caster blocks (5061-T6 aluminum (blue-anodized), left and right Caster blocks (5061-T6 aluminum (blue-ano	5045	· · · · · · · · · · · · · · · · · · ·
 Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel), set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Caster blocks (poft-16 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (ref-anodized), left and right Caster blocks, 6061-T6 aluminum, PTE-coated) Hollow bal		
 Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 3-T pinion (32-p) (steel)/ set screw Spur gear, 34-tooth (32-pitch) Steer blocks (potal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (pren-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 alumi	5746	
 set screw 43X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel); set screw 44X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel); set screw 45X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel); set screw 46X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel); set screw 46X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel); set screw 49X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel); set screw 49X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel); set screw 49X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel); set screw 50X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel); set screw 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 52X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 52X Gear, 9-T pinion (32-p) (steel)/ set screw 52 Spur gear, 45-tooth (32-pitch) 53 Spur gear, 45-tooth (32-pitch) 54 Screw in (32-pitch) 53 Spur gear, 45-tooth (32-pitch) 54 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Gear set, metal, high speed (for 2070, 2075 servos) 74 Hollow ball set, complete, TRX-40 (aluminum, PTFE-coated) 75 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4) 76 Rod ends, angled 10-degrees (8) 77 Rod ends, angled 10-degrees (8) 78 Geard, angled 10-degrees (8) 79 Rod ends, ford (4) divel, 20 (barting), waterproof 70 Servo, digital high-speed, metal gear (ball bearing), waterproof 71 Servo, digital high-speed, metal gear (ball bearing), waterproof 72 Suspension link, front, 5x30mm (4), 3x7x2mm (2		
 Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 9-T pinion (32-p), heavy duty (machined, hardened steel)), set screw Spur gear, 39-tooth (32-pitch) Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster b	JJ-12/	
 Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw Gear, 21-T pinion (32-p) (steel)/ set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (32-pitch) Sterp Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (32-pitch) Sterp Jocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (macharbon shere), left & might kinght bushings (4) Caster blocks, 6061-T6 aluminum (grea-anodized), left and right Caster blocks, 6061-T6 aluminum (grea-anodized), left and right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (macharbon shere), left & might kinght blue shere), left and right	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/
 45X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel); set screw 46X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel); set screw 47X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel); set screw 48X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel); set screw 49X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel); set screw 50X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel); set screw 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 52X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel); set screw 53 Spur gear, 39-tooth (32-pitch) 54 Stare blocks (portal drive), left & right/ kingpin bushings (4) 53 Caster blocks (portal drive), left & right/ kingpin bushings (4) 54 Caster blocks (6061-T6 aluminum (blue-anodized), left and right and right Caster blocks, 6061-T6 aluminum (ref-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right 2C Caster blocks, 6061-T6 aluminum (ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum (ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum (ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum (ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum (ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum (ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6 aluminum, ref-anodized), left and right 2C Caster blocks, 6061-T6	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/
 set screw 47X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel); set screw 48X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel); set screw 49X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel); set screw 50X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 52X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel); set screw 52 Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel); set screw 53 Spur gear, 34-tooth (32-pitch) 54 Gear, 9-T pinion (32-p) (steel)/ set screw 55 Spur gear, 34-tooth (32-pitch) 55 Spur gear, 34-tooth (32-pitch) 56 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum, (red-anodized), left and right Caster blocks, 6061-T6 aluminum, red-anodized), left and right Caster blocks, 6061-T6 aluminum, PTFE-coated) 57 Hollow ball set, complete, TRX-40 (aluminum, PTFE-coated) 58 Hollow ball set, complete, 17X-40 (aluminum, PTFE-coated) 59 Hollow ball set, complete, 17X-40 (aluminum, PTFE-coated) 50 Hollow ball, still sph-speed, metal gear (ball bearing), waterproof 78 Rod ends, long (6)/ hollow ball connectors (6) 79 Rod ends, offset (4) 70 Rod ends, offset (4) 71 Stervo, digital high-speed, metal gear (ball bearing), waterproof 72 Suspension link, front, 5x00mm (lower) (steel) (2) 73 Suspension link, front, 5x00mm (lower) (steel) (2) 74 Ad ends, long (6)/ hollow ball c	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
 set screw Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)) set screw Gear, 21-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (32-pitch) Stetering Conthernon (32-p) Spur gear, 45-tooth (32-pitch) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right (and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Red er set, metal (for 2070, 2075 servos) Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends, ong (6) hollow ball connectors (6) Rod ends, ong (6) hollow ball connectors (6) Servo, digital high-torque, metal gear (ball bearing), waterproof	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
 48X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel), set screw 50X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel), set screw 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw 52X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw 52 Gear, 22-T pinion (32-p) (steel) set screw 52 Gear, 23-T pinion (32-p) (steel) set screw 53 Spur gear, 39-tooth (32-pitch) 54 Gear, 9-T pinion (32-p) (steel) set screw 52 Caster blocks (portal drive), left & right/ kingpin bushings (4) 52 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right and right 53 Caster blocks, 6061-T6 aluminum (red-anodized), left and right and right 54 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 55 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 72 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 72 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 73 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 74 Hollow ball set, complete, TRX-40 (aluminum, PTFE-coated) 75 Rod ends (10) 77 Rod ends (10) 77 Rod ends (10) 78 Rod ends, long (6)/ holiow ball connectors (6) 78 Rod ends, long (6)/ holiow ball connectors (6) 79 Rod ends, long (6)/ holiow ball connectors (6) 70 Servo, digital high-speed, metal gear (ball bearing), waterproof 75 Servo, digital high-speed, metal gear (ball bearing), waterproof 76 Servo, digital high-speed, metal gear (ball bearing), waterproof 77 Sol chassis conversion kit, TRX-40 (long to short wheelbase) 78 Chassis conversion kit, TRX-40 (long to short wheelbase) 79 Chassis conversion kit, TRX-40 (long to short wheelbase) 70 Chassis conversion kit, TRX-40 (long to short wheelbase) 71 Cholow ball set,	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/
 Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right and right Caster blocks, 6061-T6 aluminum (charcoal gray-anolized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (refen-anodized), left and right Caster blocks, 6061-T6 aluminum (refenence) Chosta (10) Rod ends, (10) Rod ends, (10) Suppension link, front, 5x10mm (1), 3x72mm (2) hollow bal	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/
 50X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 52X Gear, 22-T pinion (32-p) (steel)/ set screw 53 Spur gear, 38-tooth (32-pitch) 53 54. Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right 32A Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32B Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32C Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum (red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32G Caster blocks, 6061-T6 aluminum, red-anodized), left and right 32	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/
 51X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel), set screw 52X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel), set screw 45 Gear, 3-T pinion (32-p) (steel) set screw 52 Gear, 3-T pinion (32-p) (steel) set screw 53 Spur gear, 45-tooth (32-pitch) 51 Spur gear, 45-tooth (32-pitch) 52 Caster blocks (portal drive), left & right/ kingpin bushings (4) 52 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right 53 Caster blocks, 6061-T6 aluminum (crea-anodized), left and right 54 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 55 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 56 Caster blocks, 6061-T6 aluminum (red-anodized), left and right 57 Gear set, metal, high speed (for 2070, 2075 servos) 78 Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) 56 Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) 75 Rod ends, (10) 76 Rod ends, (10) 77 Rod ends, (10) 78 Servo, digital high-speed, metal gear (ball bearing), waterproof 75X Servo, digital high-speed, metal gear (ball bearing), waterproof 75X Servo, digital high-speed, metal gear (ball bearing), waterproof 75X Servo, digital high-speed, metal gear (ball bearing), waterproof 755 Servo, digital high-speed, metal gear (ball bearing), waterproof 755 Suspension link, front, 5x100mm (lower) (steel) (2) 766 Chassis conversion kit, TRX-4@ (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 38mm FCS (4)) 76 Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) 77 Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) 78 Cod ends, (10) 77 Rod ends, (10) 78 Rod ends, (10) 77 Rod	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/
 52X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw 45 Gear, 9-T pinion (32-p) (steel)/ set screw 52 Spur gear, 39-tooth (32-pitch) 53 Spur gear, 45-tooth (32-pitch) 54 Caster blocks, foot 1-16 aluminum (blue-anodized), left and right 52 Caster blocks, 6061-16 aluminum (blue-anodized), left and right 53 Caster blocks, 6061-16 aluminum (preen-anodized), left and right 54 Caster blocks, 6061-16 aluminum (red-anodized), left and right 55 Caster blocks, 6061-16 aluminum (red-anodized), left and right 55 Caster blocks, 6061-16 aluminum (red-anodized), left and right 56 Caster blocks, 6061-16 aluminum (red-anodized), left and right 57 Caster blocks, 6061-176 aluminum (red-anodized), left and right 78 Gear set, metal (for 2070, 2075 servos) 74 Hollow ball set, complete, TRX-40 (aluminum, PTFE-coated) 55 Hollow ball, tall centered (2)/ tall of fset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) 75 Rod ends (10) 77 Rod ends, long (6)/ hollow ball connectors (6) 78 Rod ends, long (6)/ hollow ball connectors (6) 79 Rod ends, long (6)/ hollow ball connectors (6) 70 Servo, digital high-torque, metal gear (ball bearing), waterproof 75 Servo, digital high-torque, metal gear (ball bearing), waterproof 75 Suspension link, front, 5x03mm (upper) (steel) (2) 76 Chassis conversion kit, TRX-40 (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery ray, 3x8mm FCS (4) 74 Hollow ball set, complete, TRX-40 (aluminum, PTFE-coated) 75 Rod end st, (10) 76 Chassis conversion kit, TRX-40 (aluminum, PTE-coated) 77 Chassis conversion kit, TRX-40 (aluminum, PTE-coated) 78 Cod ends, (10) 77 Rod ends, (10) 78 Rod ends, (10) <	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/
 Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Shim set; 3.Xr1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Chassis conversion kit, TRX-4@ (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) Chassis conversion kit,	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
 Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch) Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball set, complete (Standard (10), angled 10-degrees (8), off set (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball gear (ball bearing), waterproof Stervo, digital high-speed, metal gear (ball bearing), waterproof Stervo, digital high-speed, metal gear (ball bearing), waterproof Stervo, digital high-speed, metal gear (ball bearing), waterproof Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) of sohort wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) Hollow ball connectors (6) Chassis conversion kit, TRX-4@ (short to long wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft) Hollow ball all centered (2)/ tall of fset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (1	6745	
 Spur gear, 45-tooth (32-pitch) SitePrinty Control drive), left & right/ kingpin bushings (4) Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Collow ball set, complete (2)/ tail of fset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) S	3052	
 Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Gaer set, metal (for 2070, 2075 servos) TR Gear set, metal, high speed (for 2070, 2075 servos) Thollow ball set, complete (TRX-4@ (aluminum, PTE-coated) Fod ends, offset (4) Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) of lower) (steel) (2) Sus	053	
 Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) TR Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) of lower) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Suspension link, front, 5x63mm (upper) of lower) (steel) (2) Suspension link, front, 5x63mm (upper) of lower) (steel) (2) Suspension link, front, 5x63mm (upper) of lower) (steel) (2) Suspension link, front, 5x63mm (upper) of lower) (steel) (2) 		Steering Components
 Caster blocks, 6061-T6 aluminum (blue-anodized), left and right Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long femal	232	— — — — — — — — — — — — — — — — — — —
 Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall of fset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Servo o digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4@ (short to long wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4@ (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete, IRX-4@ (aluminum, PTFE-coate	232X	
 Caster blocks, 6061-T6 aluminum (green-anodized), left and right Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x121mm (upper or lower) (steel) (2) Suspension link, front, 5x121mm (upper or lower) (steel) (2) Suspension link, front, 5x60mm (upper) (steel) (2) Chassis conversion kit, TRX-4@ (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball set, complete, standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends (10) Rod ends (10) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
 Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall of fset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4@ (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends (10) Rod ends (10) Rod ends, off (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends, ongle(10-degrees (8) Rod ends, ongle(10-degrees (8) Rod ends, ongle 10-degrees (8) <l< td=""><td>232G</td><td>-</td></l<>	232G	-
 Gear set, metal (for 2070, 2075 servos) Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4@ (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, 100 Ro	232R	
 Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x121mm (upper or lower) (steel) (2) Suspension link, front, frX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, (10) Rod ends, (10) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	072X	
 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Suspension link, front, 5x400mm (lower tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (10) Rod ends (10) Rod ends (10) Rod ends, (0)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	072R	Gear set, metal, high speed (for 2070, 2075 servos)
 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends (10) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	274	
adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x20mm (upper or lower) (steel) (2) Suspension link, front, 5x121mm (upper or lower) (steel) (2) Suspension link, front, 5x121mm (upper or lower) (steel) (2) Suspension link, front, 5x121mm (upper or lower) (steel) (2) Servo, digital high-torque, 8 lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends, long (6)/ hollow ball connectors	355	
 (4)) 76 Rod ends (10) 77 Rod ends, angled 10-degrees (8) 42 Rod ends, long (6)/ hollow ball connectors (6) 78 Rod ends, offset (4) 47X Serv o horn, steering, metal/ 3x14 BCS (1) 75R Servo, digital high-speed, metal gear (ball bearing), waterproof 75X Servo, digital high-torque, metal gear (ball bearing), waterproof 75X Servo, digital high-torque, metal gear (ball bearing), waterproof 29 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) 46 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) 43 Suspension link, front, 5x100mm (lower) (steel) (2) 44 Suspension link, rear, 5x121mm (upper or lower) (steel) (2) 858 Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear innefenders, short female half shaft, battery tray, 3x8mm FCS (4)) 57 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) 74 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) 55 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) 76 Rod ends (10) 77 Rod ends, long (6)/ hollow ball connectors (6) 78 Rod ends, long (6)/ hollow ball connectors (6) 79 Rod ends, onfset (4) 29 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 		
 Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Suspension link, front, 5x 100mm (lower) (steel) (2) Suspension link, front, 5x 100mm (lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension link, front, 5x 121mm (upper or lower) (steel) (2) Suspension link, front, 5x 63mm (upper or lower) (steel) (2) Suspension links, front § complete, flat shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (aluminum, PTFE-coated) Hollow ball set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, indig 10-degrees (8) Rod ends, indig 10-degrees (8) <	275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
 Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, angled 10-degrees (8) Rod ends, off (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 		
 Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4@ (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4@ (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (10) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	276	
 Rod ends, offset (4) Servo, horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	277	
 Serv o horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, fatter, fatt	742	
 Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	278	
 Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, onffset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	247X	
 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod ends (10) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	2075R	
 captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	2075X	
 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends, (10) Rod ends, (0) (6)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	529	
 Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	246	
 Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear innefenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	243	
 Suspension link, rear, 5x121mm (upper or lower) (steel) (2) SIISION LIN (AUG) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	244	
 SIISIGISION Line (AUG) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear innefenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
 58 Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) 57 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) 57 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) 55 Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) 75 Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) 76 Rod ends (10) 77 Rod ends, angled 10-degrees (8) 80 ends, ong (6)/ hollow ball connectors (6) 78 Rod ends, off set (4) 29 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 		
 (includes rear upper & lower suspension links, front & rear inne fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	058	
 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends, angled 10-degrees (8) Rod ends, nong (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 		(includes rear upper & lower suspension links, front & rear inne
 (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) Hollow ball set, complete, TRX-4@ (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall off set hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), off set (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, off set (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	8057	
 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 		(includes rear upper & lower suspension links, front & rear
 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	274	
 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
 Rod ends (10) Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	275	Rod end set, complete (standard (10), angled 10-degrees (8), offset
 Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 		
 Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, 	276	
Rod ends, offset (4) 29 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	277	
29 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	742	Rod ends, long (6)/ hollow hall connectors (6)
captured (4)		Rod ends, offset (4)
	278 529	Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,

3243	Suspension link, front, 5x100mm (lower) (steel) (2)
3244	Suspension link, front, 5x63mm (upper) (steel) (2)
3248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
3245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
	Team Traxxas Items
2514	Decal sheet, racing sponsors
5160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950 9909	Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)
	Tires & Wheels
100-	
3169T 3168T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
3169X	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
3168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
3169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
3168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3168A	Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)
3169R 3168R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
3169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
3168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
3873	Center caps, Mercedes-Benz® G 500® 4x4 ² wheel (black) (4)
464	(requires #8255A extended stub axle)
3164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)
3176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
	extended stub axle)
3174	Tires and wheels, assembled (Method 105 1.9" black chrome
	beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
3172	Tires and wheels, assembled (Method 105 2.2" black chrome
	beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1
4007	left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
3166X	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
	(requires #8255A extended stub axle)
3166	Tires and wheels, assembled, glued (1.9" chrome wheels,
	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
3177	Tires and wheels, assembled, glued (1.9" chrome wheels,
	Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
	(requires #8255A extended stub axle)
3183X	Tires and wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A
	extended stub axle)
3872	Tires and wheels, assembled, glued (2.6" black, satin chrome-plated
	Mercedes-Benz® G 500® 4x4 ² wheels, 4.6x2.6" tires) (2)/ center caps (2) (requires #8255A extended stub axle)
3182	Tires and wheels, assembled, glued (Method 105 1.9" black
	chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires,
	foam inserts) (1 left, 1 right)
3273	Tires and wheels, assembled, glued (Tactical 1.9" wheels,
3272X	Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock
	wheels, Canyon Trail 4.6x1.9" tires) (2)
3272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels,
470	Canyon Trail 4.6x1.9" tires) (2)
3179	Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
3181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
	Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm Lift
3270	Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
3170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TRX-4
	Long-Arm Lift Kit)
3269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
3269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
3269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
	anodized) (4)/ screw pin (4)
3269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
3269R	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
	screw pin (4)
3165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
	#8255A extended stub axle)
3175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
3173	#8255A extended stub axle) Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock
-	rings sold separately)
3173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
	rings sold separately)

Page 7 TRX-4® Mercedes-Benz® G 500® 4X4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock	8891
	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8881
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	
	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)	8882
8268	Wheels, Tactical 1.9 (2)	
8271	Wheels, TRX-4® 1.9 (2)	8883
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)	
8178	Wheels, TRX-4® Sport 1.9 (2)	8884
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift	
	Kit)	8880
	Transmission Components	8895
8283	Cable, T-lock (front)	8896
8284	Cable, T-lock (rear)	0000
8195	Differential, locking, front and rear (assembled) (includes T-Lock	

Drive hub, 2-speed/shift dog/shift fork/2-speed linkage

Motor mount plate, 6061-T6 aluminum (blue-anodized)

Motor mount plate, 6061-T6 aluminum (green-anodized)

Motor mount plate, 6061-T6 aluminum (red-anodized)

Grease, premium high performance (20cc)

Input shaft/ output shaft (transmission)

(1) 3x6 BCS with threadlock (1))

Slipper eliminator plate

Two speed conversion kit

Output gear, high range, 24T (metal)

Plate, motor/ upper spur gear cover

Output shafts (transfer case), front & rear

Transmission gears, single speed, metal

Gear set, transmission, metal (includes 18T, 30T input gears, 36T

Gearbox housing (includes main housing, front housing, & cover)

Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)

Output drive, transmission or differential (pin retainer (1)/ drive cup

(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)

cables and servo)

output gear, 2x9.8 pins (5))

Gears, transfer case (3)

8289

8291

8285

5041

8292

8290X

8290A

8290G

8290R

8295

8294

8286

8290

8249

8296

8196

8293X

8891	Tension wheels (6)/ road wheels (4)
8881	Traxx™, front, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8882	Traxx™, front, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8883	Traxx™, rear, left (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
8884	Traxx™, rear, right (assembled) (requires #8886 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
8880	Traxx™, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx™ (front, left or right) (rubber) (1)
8896	Treads, All-Terrain, TRX-4® Traxx™ (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM

8196	I wo speed conversion kit
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
	TRX-4® Traxx™
8889	Bearing retainers, inner (2), outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1

- 8888 Spring (4)
 8887 Stub axle (1)
- 8886 Stub axle nut (4)